



Website Audit Report for Consultant Engineering, Inc
<https://137.eb8.myftpupload.com/>

November 15, 2022

Audit Overview

Audit Score 85	SEO Score 89	Security Score 68	Performance Score 79
--------------------------	------------------------	-----------------------------	--------------------------------

Crawled	Internal	External	Resources	Uncrawled
130	29	2	99	0

Technologies ⓘ

WordPress 9	MySQL 9	Font Awesome 9	Google Font API 9
Modernizr 9	jQuery 9	jQuery Migrate 9	jQuery UI 9
Twitter Emoji (Twemoji) 8	PHP 9	Yoast SEO 9	


Crawled URLs by Depth

This graph shows the distribution of each different URL status at each crawl depth of the website.

Status	0	1	2
Success	1	99	10
Not Found	0	1	9
Redirect	0	1	9
Timeout	0	0	0
Error	0	0	0
Failed	0	0	0
Disallowed	0	0	0
Forbidden	0	0	0


HTTP Status Codes

This chart shows the distribution of HTTP Status Codes for all URLs crawled. For optimum user experience, you want to see as many as possible with 200 (OK) status.



URL Segments

This chart shows the composition of the crawl in terms of different URL Segments found, which will include internal, external and resource URLs.




URL Type by Depth

This chart shows the distribution of each different URL Type, at each crawl depth of the website. Hover over any column to see the breakdown of URL Types for the corresponding crawl depth.

Status

HTML URL Sources


This chart shows the relative contribution of each source to the total crawled URLs.



Status	Crawler	XML Sitemaps	Google Analytics	Google Search Analytics	URL List
Found	29	0	0	0	0
Only	0	0	0	0	0
Missing	0	0	0	0	0

Content Types


This chart shows all successful (Status 200) URLs crawled, broken down by content type.



Content Type	URLs
CSS	26
Font	9
HTML	11
Image	28
Javascript	36

Broken Internal URLs by Source

This chart shows all broken internal URLs broken down by source, that didn't return a 200 status code.">



URL Source	URLs
Anchor	10



SEO Score

Critical 3
High 4
Medium 5
Low 5
Insights 2
No Issue 99

All Hints 19
Issues 8
Potential Issues 3
Opportunities 6

Critical Issue Disallowed image

URLs: 27 Percentage: 100%

Image URLs that are disallowed in robots.txt, which may affect how search engines render page content. If these page resource URLs are disallowed in robots.txt, it means that Googlebot may be unable to correctly render the page content. Google relies on rendering in a number of their algorithms - most notably the 'mobile friendly' one - so if content cannot be properly rendered, this could have a knock on effect in terms of search engine rankings.

Critical Issue Disallowed JavaScript file

URLs: 31 Percentage: 100%

JavaScript files that are disallowed in robots.txt, which may affect how search engines render page content. If these page resource URLs are disallowed in robots.txt, it means that Googlebot may be unable to correctly render the page content. Google relies on rendering in a number of their algorithms - most notably the 'mobile friendly' one - so if content cannot be properly rendered, this could have a knock on effect in terms of search engine rankings.

Critical Issue Disallowed Style Sheet

URLs: 24 Percentage: 100%

CSS files that are disallowed in robots.txt, which may affect how search engines render page content. If these page resource URLs are disallowed in robots.txt, it means that Googlebot may be unable to correctly render the page content. Google relies on rendering in a number of their algorithms - most notably the 'mobile friendly' one - so if content cannot be properly rendered, this could have a knock on effect in terms of search engine rankings.

High

Potential Issue

URL contains a form with a GET method

URLs: 9

Percentage: 100%

Indexable: 0

Not Indexable: 9

URLs that contain a form element with the method set to GET, which creates submission URLs with the form data in the query string. This presents a potential vulnerability for a large number of URLs to be created and/or cached, which could cause issues with crawl efficiency or index bloat

High

Opportunity

Has only one followed internal linking URL

URLs: 20

Percentage: 68.97%

Indexable: 0

Not Indexable: 20

URLs that only have a followed incoming link from one other URL on the website. URLs with only a single followed incoming link only inherit a small amount of link equity, which can make ranking very difficult.

High

Issue

Broken internal URLs

URLs: 10

Percentage: 34.48%

All internal URLs that weren't successfully audited, and had a crawl status of either Not Found, Error, Forbidden or Timeout. Broken URLs are unwelcome, as they result in a poor user experience, and can also have a negative SEO impact, depending on the type and scale of the issue.

High

Issue

URL resolves under both HTTP and HTTPS

URLs: 14

Percentage: 14.74%

Indexable: 0

Not Indexable: 14

URLs that resolve under both HTTP and HTTPS protocols. This could pose a security risk if users are able to access insecure content (which should be secure) and may also lead to duplicate content issues, if search engines end up crawling both HTTP and HTTPS versions.

High

Issue

Internal redirects from trailing slash mismatch

URLs: 3

Internal URLs that redirect due to a trailing slash mismatch. This occurs when the server encounters URLs that don't match expectation - so it will redirect to a URL that either adds or removes the trailing slash, depending on the setup. Internal links that cause these redirects cause unnecessary work for search engine crawlers, and the server itself, particularly when they are template based, and therefore widespread.

Medium

Opportunity

<h1> tag is missing

URLs: 5

Percentage: 55.56%

Indexable: 0

Not Indexable: 5

HTML URLs that do not contain a header 1. The header 1 (h1) tag is considered important to help both users and search engines to quickly understand what content they can expect to find on the page. If the <h1> is not present, this represents a missed optimization opportunity.

Medium

Issue

Internal redirected URLs

URLs: 10

Percentage: 34.48%

Internal URLs that redirect (3XX) to another URL. Redirects add an extra 'hop' to the request, which means it takes longer for the content to become available, which is a bad user signal, and means that search engine crawlers have to do additional 'work' to find the content.

Medium

Issue **URL contains whitespace**

URLs: 9

Percentage: 31.03%

Indexable: 0

Not Indexable: 9

URLs that contain one or more whitespace characters in the path (e.g. <http://example.com/page 1>). URLs with whitespace characters are not recommended as they could cause issues when site visitors share or link to the URL, potentially leading to broken links and a loss of potential link equity.

Medium

Opportunity **Images with missing alt text**

URLs: 9

Percentage: 17.65%

Images with no alt attribute or missing alt text. Alt text is important for accessibility, to communicate meaning and context about the image to visually impaired users. Search engines also use alt text to understand the meaning and context, so images with no alt text represent poor accessibility, and a missed SEO opportunity.

Medium

Opportunity **Has an internal link with no anchor text**

URLs: 1

Percentage: 3.45%

Indexable: 0

Not Indexable: 1

URLs that contain at least one outgoing anchor link which has no anchor text. This represents a missed opportunity to provide additional information about the target page to search engines, which could have an impact on this page's ability to rank for relevant search queries.

Low

Potential Issue **Meta description is missing**

URLs: 9

Percentage: 100%

Indexable: 0

Not Indexable: 9

URLs that do not contain a meta description. The meta description is considered important to help users quickly understand what content they can expect to find on the page, when clicking through from the search engine results page. Well written meta descriptions typically achieve a better click-through-rate. If the meta description is missing, this represents a missed optimization opportunity.

Low

Opportunity **Title tag length too short**

URLs: 6

Percentage: 66.67%

Indexable: 0

Not Indexable: 6

URLs that contain a title tag with too few characters. If the title uses too few characters, it may not be sufficient to effectively communicate the desired message.

Low

Issue **Has a link with an empty href attribute**

URLs: 9

Percentage: 31.03%

Indexable: 0

Not Indexable: 9

URLs that contain at least one outgoing anchor link which has an empty href attribute. This may be because a link was intended to be added, but was not. It also may represent a bug in the underlying code, which is adding `<a>` tags where it should not.

Low

Potential Issue **Multiple `<h1>` tags**

URLs: 2

Percentage: 22.22%

Indexable: 0

Not Indexable: 2

URLs that contain multiple header 1s. Having more than one `<h1>` tag can be a sign of poor content structure, and could de-emphasize keyword associations with the page.

Low

Opportunity **<h1> length too short**

URLs: 2

Percentage: 22.22%

Indexable: 0

Not Indexable: 2

URLs that contain a header 1 with too few words. If the <h1> does not use many words, it may not be well optimized to effectively communicate the desired message. It is considered best practice to try and include the main target keywords for the page in the <h1>, whilst also communicating 'what the page is about.'

Insight

URL contains no Google Analytics code

URLs: 9

Percentage: 100%

Indexable: 0

Not Indexable: 9

URLs that do not contain a Google Analytics code. This may simply be because the website does not use Google Analytics, but may also represent instances where the Google Analytics code is accidentally missing.

Note that this Hint is independent of any Google Tag Manager implementation, and simply means that no Google Analytics code was found on the page.

Insight

URL contains no Google Tag Manager code

URLs: 9

Percentage: 100%

Indexable: 0

Not Indexable: 9

URLs that do not contain a Google Tag Manager code. This may simply be because the website does not use Google Tag Manager, but may also represent instances where the Google Tag Manager code is accidentally missing.

No Issue

<head> contains a <noscript> tag, which includes an image

URLs where the <head> contains a <noscript> tag, which includes an image. Including an tag in the <head> is invalid. This can be problematic for search engines crawlers that do not render JavaScript (i.e. most crawlers, most of the time), as the presence of the tag breaks the <head>, which may cause important tags (e.g. meta robots) to be missed.

No Issue

<head> contains invalid HTML elements

URLs where the <head> contains invalid DOM elements. Valid elements that can be used inside the <head> element are <title>, <meta>, <base>, <link>, <script>, <noscript>, <style> and <template>. Including invalid elements can lead to the HTML document not being parsed correctly, as the presence of other elements breaks the <head>, which may cause important tags (e.g. meta robots) to be missed.

No Issue

Canonical outside of head

URLs that have a canonical link element in the HTML which has been placed outside the <head>. Search engines will ignore canonical designations that do not appear in the <head>, so this issue could cause indexing problems.

No Issue

Has link with a URL referencing a local or UNC file path

URLs that contain at least one outgoing anchor link with a URL referencing a local or UNC file path. These links are normally left in by accident, and will not be publicly accessible, so site visitors and search engines will be unable to follow the link.

No Issue

Has link with a URL referencing LocalHost or 127.0.0.1

URLs that contain at least one outgoing anchor link with a URL referencing LocalHost or 127.0.0.1. These links are normally the accidental remains of development work, and will not be publicly accessible, so site visitors and search engines will be unable to follow the link.

No Issue **HTML is missing or empty**

URLs do not contain any HTML. If there is no HTML content, then users and search engines alike will not be able to access any visible content.

No Issue **Meta robots found outside of <head>**

URLs that have a meta robots tag in the HTML which has been placed outside the <head>. Meta robots tags are supposed to only be contained in the <head>, but even if they are found in the <body> they will be respected by search engines, despite what you might expect. This may mean you are giving conflicting or inaccurate indexing signals to search engines, without realising it.

No Issue **Title tag is empty**

HTML URLs that contain an empty <title> element. The title tag is considered one of the most important on-page SEO factors, so if it is not present this represents an issue that may affect search engine rankings and click-through-rate from the search results.

No Issue **Title tag is missing**

HTML URLs that do not contain the <title> element. The title tag is considered one of the most important on-page SEO factors, so if it is missing this represents an issue that may affect search engine rankings and click-through-rate from the search results.

No Issue **Canonical is malformed or empty**

URLs that specify a canonical URL which is invalid or undefined. If canonical URLs are undefined (e.g. <link rel="canonical" href="">) or invalid (e.g. <link rel="canonical" href="http://example.com/">) this indicates a configuration issue and should be addressed.

No Issue **Canonical loop**

URLs that specify a canonical URL, where the canonical URL also specifies a canonical, which in turn points back to the original URL. This causes a canonical loop (e.g. URL1 -> URL2 -> URL1) and could cause search engines to completely ignore all canonical instructions.

No Issue **Canonical only found in rendered DOM**

URLs that contain a canonical link element on the rendered version of the page, but do not contain one in the HTML source. Google have stated categorically that the rendered canonical is not taken into account, so relying on it for indexing purposes is not recommended.

No Issue **Canonical points to a disallowed URL**

URLs that specify a canonical URL which is disallowed by robots.txt. Search engines will be unable to crawl the disallowed URL, so the canonical instruction will likely be ignored.

No Issue **Canonical points to a noindex URL**

URLs that specify a canonical URL which is noindex. This constitutes conflicting messages to search engines, and as such the canonical instruction will likely be ignored.

No Issue **Canonical points to a URL that is Error (5XX)**

URLs that specify a canonical URL which returned an Error (5XX) HTTP status. This can indicate to search engines that the canonical information is inaccurate, and as such, the canonical instruction may be ignored. Server errors can be transient, so it is worth double checking the error URLs to verify there is an issue.

No Issue Canonical points to a URL that is Not Found 404

URLs that specify a canonical URL which returned a Not Found (4XX) HTTP status. This indicates that the canonical URL has either been removed or misconfigured, and as such, the canonical instruction is likely to be ignored by search engines.

No Issue Canonical points to another canonicalized URL

URLs that specify a canonical URL, where the canonical URL also specifies a (different) canonical URL. This causes a canonical chain (e.g. URL1 -> URL2 -> URL3) and could cause search engines to completely ignore all canonical instructions.

No Issue Canonical points to HTTP version

HTTPS URLs that specify a canonical URL which is the HTTP version of the same URL (i.e. mismatched protocol). This could lead to search engines indexing the 'wrong' version of the URL, or ignoring the canonical instruction entirely.

No Issue Canonical points to HTTPS version

HTTP URLs that specify a canonical URL which is the HTTPS version of the same URL (i.e. mismatched protocol). This could lead to search engines indexing the 'wrong' version of the URL, or ignoring the canonical instruction entirely.

No Issue Canonicalized URL is noindex, nofollow

URLs that are canonicalized, and also noindex, nofollow. Canonicals consolidate and combine indexing signals, so if a URL has a noindex on it, this noindex may also get passed through to the canonicalized page.

No Issue Duplicate URLs (technical duplicates)

URLs that are technically identical to at least one other indexable URL. This could be URLs that are only different based on case, or have the same query string parameters and values (but in a different order). If this sort of duplication occurs, you have a relatively serious issue, whereby identical URLs are being generated and are accessible to search engine crawlers.

No Issue External URL redirect broken (4XX or 5XX)

External URLs that redirect to a URL which is Not Found (4XX) or Error (5XX). This is a bad experience for users and search engines alike, as they will be unable to reach the content.

No Issue Has a link with whitespace in href attribute

URLs that contain at least one outgoing anchor link which has trailing or leading whitespace character in the href attribute. Whitespace in href attributes may cause a loss or dissipation of link equity, if search engines treat the link targets as distinct URLs.

No Issue Has link to a non-HTTP protocol

The URL contains outgoing anchor links which use a non-HTTP protocol (e.g. link to ftp://example.com/page). If you have links with a non-HTTP protocol, there is no guarantee how they would be handled by the user's browser. For example, using the FTP protocol in a HTML link will cause the link to be opened by the users' default FTP client.

No Issue **Has no outgoing links**

URLs that don't link to any other URL, internal or external. If you have URLs with no outgoing links, this means that they are unable to pass on link equity to other URLs within the website architecture. As such, they act like a PageRank black hole - they accumulate link equity from incoming links, but don't pass it back out to other URLs on the website.

No Issue **Has outgoing links with malformed href data**

URLs that contain at least one outgoing anchor link which has malformed href data. This means that link equity will not be passed through to the link target, as the link itself is invalid. It may also mean that crawlers are unable to find the destination URL, so crawling, indexing and ranking may all be affected.

No Issue **Internal redirects from case normalization**

Internal URLs that redirect due to case normalization. This occurs when the server encounters URLs that don't match expectation - so it will redirect to a URL with characters of the correct case (typically lower case). Internal links that cause these redirects cause unnecessary work for search engine crawlers, and the server itself, particularly when they are template based, and therefore widespread.

No Issue **Internal URL is part of a chained redirect loop**

Internal URLs that are part of a redirect chain which results in a redirect loop (e.g. URL 1 -> URL 2 -> URL 3 -> URL 1). This is bad for SEO as search engine crawlers will be unable to access the page content to index it. It is also bad for users, who will be shown an error page (e.g. 'Website redirected you too many times').

No Issue **Internal URL redirect broken (4XX or 5XX)**

URLs that redirect to a URL which is Not Found (4XX) or Error (5XX). This is a bad experience for users and search engines alike, as they will be unable to reach the content.

No Issue **Internal URL redirects back to itself**

Internal URLs that redirect in a loop (e.g. URL 1 -> URL 1). This is bad for SEO as search engine crawlers will be unable to access the page content to index it. It is also bad for users, who will be shown an error page (e.g. 'Website redirected you too many times').

No Issue **Isolated URL - only found via a canonical**

URLs that are declared as the canonical URL (on another URL), but which have no incoming anchor links from internal URLs (i.e. the only links they have are from the canonical link element). This means that the canonical URL is not part of the overall site architecture - it is not accessible to website visitors, and is not being properly assigned link equity for ranking purposes.

No Issue **Isolated URL - only found via a noindex, follow**

URLs that are accessible via links on pages that are noindex, follow, but which have no other incoming anchor links from internal URLs. Over time, Google will stop following links to these pages, which means that they end up isolated from the link graph. Eventually, these URLs will lose their ability to rank for relevant search queries, and may end up being dropped from the index.

No Issue **Isolated URL - only found via a redirect**

URLs that are set as the location on redirecting URLs, but which have no incoming anchor links from internal URLs. This means that the destination URL is isolated from the main link graph, and may not be properly assigned link equity for ranking purposes.

No Issue **Isolated URL - only linked from other isolated URLs**

URLs that are accessible via links on isolated URLs, but which have no other incoming anchor links from internal URLs. Since these pages are effectively the 'children' of isolated pages, they suffer the same problems as isolated pages, in that they may have difficulty getting indexed and will struggle to rank due to low/no link equity.

No Issue **Mismatched canonical tag in HTML and HTTP header**

URLs that have a canonical URL defined both in the HTML and in the HTTP header, which are specifying different canonical URLs. This constitutes conflicting messages to search engines, and as such the canonical instruction will likely be ignored.

No Issue **Mismatched nofollow directives in HTML and header**

URLs with the robots follow/nofollow directive specified in both the HTML <head> and also in the X-Robots-Tag, where the directives do not match. This means that one location uses 'follow' and the other uses 'nofollow', and net result of this is that search engines will consider the page 'nofollow'. This may cause crawling and indexing issues on important pages.

No Issue **Mismatched noindex directives in HTML and header**

URLs with the robots index/noindex directive specified in both the HTML <head> and also in the X-Robots-Tag, where the directives do not match. This means that one location uses 'index' and the other uses 'noindex', and net result of this is that search engines will consider the page 'noindex', which may cause important pages to end up not indexed.

No Issue **Multiple title tags**

URLs that contain more than one <title> element. If there are multiple title tags on the page, it may lead to search engines displaying the 'wrong' one, which in turn may lead to lower engagement or CTR from search results, and may also have an SEO impact.

No Issue **Multiple, mismatched canonical tags**

URLs that specify a canonical URL more than once, either in the HTML, in the HTTP header, or in both, where the canonical URLs do not match. This constitutes conflicting messages to search engines, and as such the canonical instruction will likely be ignored. In this circumstance, we recommend selecting the correct canonical URL, and ensuring that canonical URLs are declared only once on any given URL, using a single method (HTML or HTTP header).

No Issue **Page resource URL is part of a chained redirect loop**

Page resource URLs that are part of a redirect chain which results in a redirect loop (e.g. URL 1 -> URL 2 -> URL 3 -> URL 1). This means that the resource is inaccessible, which may affect how page content is rendered.

No Issue **Page resource URL redirects back to itself**

Page resource URLs that redirect in a loop (e.g. URL 1 -> URL 1). This means that the resource is inaccessible, which may affect how page content is rendered.

No Issue **Rendered Canonical is different to HTML source**

URLs that contain a canonical link element on the rendered version of the page, which is different to the one in the source HTML. Google have stated categorically that the rendered canonical is not taken into account, so relying on it for indexing purposes is not recommended. At best, this situation leads to ambiguity - at worst, search engines will select the wrong version and you could damage organic search traffic.

No Issue **Resource URL redirect broken (4XX or 5XX)**

Resource URLs that redirect to a URL which is Not Found (4XX) or Error (5XX). The URL in question is a page resource URL (e.g. CSS or JavaScript file), which means it is used for rendering the content on a page. If the resource is no longer accessible, this may affect how it is rendered, which could cause a poor user experience.

No Issue **URL is orphaned and was not found by the crawler**

URLs that are not part of the crawlable website architecture. Orphaned URLs were not found as part of the website crawl, so were instead picked up by a different crawl source (XML Sitemap, URL List, Google Analytics or Google Search Console). The presence of orphaned URLs is not necessarily bad, however the cases you need to pay attention to are when you find orphaned URLs that return a 200 (OK) response. These are typically old URLs that need to be removed, or URLs that should be linked to, but aren't for some reason.

No Issue **URLs with duplicate content**

URLs that have identical HTML content to at least one other indexable URL. If this sort of duplication occurs, you have a relatively serious issue, whereby URLs with identical content are accessible to search engine crawlers. If this results in large scale duplicate content issues on the site, you could trip quality algorithms like Google's Panda, which can depress organic search traffic to the site as a whole.

No Issue **URLs with duplicate page titles**

URLs that have the exact same page title as at least one other indexable URL. If multiple pages have the same title, this can make it difficult for search engines to differentiate the 'best' page for a given search query, which can result in keyword cannibalization (multiple pages on your own site competing for the same search terms, and hurting each others' rankings).

No Issue **URLs with duplicate title and meta descriptions**

URLs that have the exact same page title and meta description as at least one other indexable URL. If multiple pages have the same title, this can make it difficult for search engines to differentiate the 'best' page for a given search query, which can result in keyword cannibalization. If a page has both a duplicate title AND a duplicate meta description, this may indicate a more systemic issue at play (than simply a copy/paste human error).

No Issue **URLs with similar content**

URLs that have substantially similar HTML content to at least one other indexable URL. This could also be referred to as 'near duplicate content', where most of the HTML content on the pages is the same - without all the content being identical. If this sort of duplication occurs, it may be serious issue, as URLs with almost identical content are accessible to search engine crawlers, which could trip quality algorithms like Google's Panda.

No Issue **<h1> tag is empty**

HTML URLs that have an empty header 1. The header 1 (h1) tag is considered important to help both users and search engines to quickly understand what content they can expect to find on the page. If the <h1> is empty, this represents a missed optimization opportunity.

No Issue **Canonical is a relative URL**

URLs that specify a canonical URL using a relative URL. Search engines do not recommend using relative URLs for canonicals as they can lead to future issues (even if there are no issues currently).

No Issue **Canonical points to a redirecting URL**

URLs that specify a canonical URL which returned a Redirect (3XX) HTTP status. This indicates to search engines that the canonical information is inaccurate, and as such, the canonical instruction may be ignored.

No Issue **Canonical points to homepage**

URLs that specify a canonical URL that points to the homepage. This causes an issue when URLs which are not duplicates of the homepage have a canonical which points to the homepage, as this typically indicates a misconfiguration, and could cause indexing issues.

No Issue **Has an anchored image with no alt text**

URLs that contain anchor links to image URLs with no alt text, or no alt attribute. For linked images, the alt text is considered equivalent to anchor text, and represents an opportunity to communicate meaning and context to search engines.

No Issue **Has incoming followed links that do not use descriptive anchor text**

The URL receives incoming followed links from other internal URLs, which do not use descriptive anchor text (they instead have anchor text like 'click here', 'go', 'here', etc...). Descriptive anchor text can help search engines and users alike to better understand your content.

No Issue **Has one or more outgoing followed links with non descriptive anchor text**

The URL contains outgoing anchor links which do not use descriptive anchor text (they instead have anchor text like 'click here', 'go', 'here', etc...). Descriptive anchor text can help search engines and users alike to better understand your content.

No Issue **Multiple nofollow directives**

URLs with the robots nofollow directive specified in more than one location (e.g. two SEO plugins that both add robots directives to the HTML). It is considered best practice to only specify robots directives once on any given URL, as this helps avoid potential issues in the future.

No Issue **Multiple noindex directives**

URLs with the robots noindex directive specified in more than one location (e.g. two SEO plugins that both add robots directives to the HTML). It is considered best practice to only specify robots directives once on any given URL, as this helps avoid potential issues in the future.

No Issue **Nofollow in HTML and HTTP header**

URLs with the robots nofollow directive specified in both the HTML <head> and also in the X-Robots-Tag. It is considered best practice to only specify robots directives once on any given URL, as this helps avoid potential issues in the future.

No Issue **Noindex in HTML and HTTP header**

URLs with the robots noindex directive specified in both the HTML <head> and also in the X-Robots-Tag. It is considered best practice to only specify robots directives once on any given URL, as this helps avoid potential issues in the future.

No Issue **Only receives nofollow links or links from canonicalized URLs**

URLs found by the crawler that only receive incoming nofollow links, or incoming links from canonicalized URLs. In other words, the URL only receives links from URLs that do not pass Link Equity - which means that the URL has no power to rank in search results.

No Issue **Pagination URL has no incoming internal links**

URLs that are declared as a pagination URL, via rel=next/prev links on another URL, but which has no incoming anchor links from internal URLs. Typically, this is a result of a misconfiguration in the website platform or CMS, which erroneously adds pagination markup and spawns pages that should not exist.

No Issue **Redirected page resource URLs**

Page resource URLs, such as JavaScript and CSS files, that redirect to another URL - which may affect load time and cause page content to render incorrectly.

No Issue **URL contains upper case characters**

URLs that contain upper case characters in the URL (e.g. <http://example.com/ContactUs>). Ideally URLs should be lower case and not be mixed case, as mixed case URLs can lead to duplicate content, a loss of link equity to the correct version and wasted crawl budget.

No Issue **URL receives both follow & nofollow internal links**

URLs that have a mixture of followed and nofollowed incoming links. If a given URL receives nofollowed links, this is usually a deliberate act, either because the website owner does not want to pass link equity to the linked URL, or they do not want search engines to crawl it. However, if even one other URL links to this page using followed links, this can negate the affect that the website owner was trying to achieve with the nofollow.

No Issue **URLs with duplicate h1s**

URLs that have the exact same header 1 (h1) tag as at least one other indexable URL. If multiple pages have the same h1, this can make it difficult for search engines to differentiate the 'best' page for a given search query, which can result in keyword cannibalization (multiple pages on your own site competing for the same search terms, and hurting each others' rankings).

No Issue **<h1> length too long**

URLs that contain a header 1 with too many words. If the <h1> uses too many words, it may not be well optimized to effectively communicate the desired message. It is considered best practice to try and include the main target keywords for the page in the <h1>, whilst also communicating 'what the page is about.'

No Issue **Base URL malformed or empty**

URLs that specify a base URL which is malformed or empty. The base tag is used to determine the URL base for all relative links used within a page. If the base tag is malformed or empty, this may cause problems for search engines crawling relative links.

No Issue **Canonical tag in HTML and HTTP header**

URLs that have a canonical URL defined both in the HTML and in the HTTP header. This Hint is flagged as Advisory as it is not 'wrong' per se, but could lead to future complications if changes are made to one canonical element but not both. As such, we recommend only using one method of declaring canonical URLs.

No Issue **Meta description is empty**

URLs that have an empty meta description. The meta description is considered important to help users quickly understand what content they can expect to find on the page, when clicking through from the search engine results page. Well written meta descriptions typically achieve a better click-through-rate. If the meta description is empty, this represents a missed optimization opportunity.

No Issue **Meta description length too long**

URLs that contain a meta description with too many characters. If the meta description is very long, this may mean it has been automatically generated or is not well optimized, and may achieve poor click-through-rate as a result. Depending on the query, search engines may truncate or rewrite meta descriptions that are too long.

No Issue **Meta description length too short**

URLs that contain a meta description with too few characters. If the meta description is particularly short, this may mean it has been automatically generated or is not well optimized, and may achieve poor click-through-rate as a result.

No Issue **Multiple base URLs**

URLs that specify more than one base URL. The base tag is used to determine the URL base for all relative links used within a page. A document can have no more than one base element, so multiple base tags is invalid, and this may cause problems for search engines crawling relative links.

No Issue **Multiple canonical tags**

URLs that specify a canonical URL more than once, either in the HTML, in the HTTP header, or in both. This Hint is flagged as Advisory as it may not be 'wrong' per se, but could lead to future complications if changes are made to one canonical element but not the other. As such, we recommend that canonicals are only declared once on any given URL, using a single method (HTML or HTTP header).

No Issue **Multiple meta descriptions**

URLs that contain multiple meta descriptions. If there are multiple meta descriptions on the page, it may lead to search engines displaying the 'wrong' one, which in turn may lead to lower engagement or CTR from search results.

No Issue **Multiple, mismatched base URLs**

URLs that specify more than one base URL, and the URLs are different. The base tag is used to determine the URL base for all relative links used within a page. A document can have no more than one base element, so multiple base tags is invalid, and this may cause problems for search engines crawling relative links - particularly as the base URLs are different, there is no guarantee they will select the 'right' one.

No Issue **Query string contains a question mark**

URLs that contain more than one question mark in the URL path (e.g. <http://example.com/page?a=1?&a=1>). If you include a second question mark in the query, this would be treated as a literal question mark (i.e. it has no significance beyond that of a regular character). Whilst this is not invalid, it is quite unusual, and may indicate some sort of issue with how URLs are generated, so it could warrant further investigation.

No Issue **Query string contains repetitive parameters**

URLs that contain repetitive parameters in the query string (e.g. <http://example.com/page?a=1&a=1>). Since the second parameter is redundant, the existence of these URLs could lead to duplicate content issues, since the content would be identical to the equivalent URLs with a single parameter. This could also indicate a much bigger problem, as it might imply an issue with the logic of the underlying software which generates the URLs in the first place.

No Issue **Title and meta description are the same**

URLs that have identical text for the title and meta description. The title and meta description serve very different purposes, and if they are identical then this is usually the result of a misconfigured plugin or script.

No Issue **Title tag length too long**

URLs that contain a title tag with too many characters. If the title uses too many characters, it may not be well optimized to effectively communicate the desired message. Depending on the query, search engines may truncate or rewrite titles that are too long.

No Issue URL contains a double slash

URLs that contain a double slash in the path (e.g. <http://example.com//page1>). A double slash in the URL path is valid and will respond in the browser, but is typically unwelcome, as this could cause duplicate content issues if the CMS delivers the same content on two URLs (i.e. single slash and double slash).

No Issue URL contains more than one Google Analytics code

URLs that contain multiple Google Analytics codes. Whilst valid, and sometimes deliberate, this might imply a configuration error - such as a plugin inserting an additional code.

No Issue URL contains more than one Google Tag Manager code

URLs that contain multiple Google Tag Manager codes. Whilst it is valid, Google advise to keep the number of Google Tag Manager containers on the page minimal, for best performance.

No Issue URL contains non-ASCII characters

URLs that contain characters outside the ASCII set (e.g. <http://example.com/pagé>). This is dangerous as you cannot be certain how search engines or browsers will handle these characters, which could cause unwelcome results if there are issues with the encoding procedure.

No Issue URL contains repetitive elements

URLs that contain repetitive elements in the URL path, which can cause duplicate content issues or broken internal links. Repetitive elements in URL paths are usually caused when the crawler comes across links with relative URLs and the page doesn't have a base URL e.g. <https://example.com/pages/pages/page1>. They can be generated by Content Management Systems, plugins or broken HTML.

A common false positive for this Hint is dates in the path - these can normally be ignored e.g. <https://example.com/2017/11/11/page-name>

No Issue URLs with duplicate meta descriptions

URLs that have the exact same meta description as at least one other indexable URL. If lots of meta descriptions are duplicate, this represents a missed optimization opportunity. It may make it difficult for users to differentiate similar pages in search results, and may result in search engines simply re-writing the descriptions for you (sometimes with disastrous results).

No Issue <head> contains a <noscript> tag

URLs where the <head> contains a <noscript> tag. You need to be very careful using <noscript> tags in the <head>, as you can very easily break the <head>, which can cause problems for search engines as they may be unable to find important head-only tags, such as hreflang.

No Issue Canonical points to a different internal URL

URLs that specify a canonical URL which is not self-referential, and instead points to another internal URL. This Hint is flagged as Advisory as it could be the case that nothing is actually wrong here - canonicals are used as a valid means of avoiding duplicate content issues - so you may simply wish to check that the canonicals are pointing at the 'right' URLs.

No Issue Canonical points to external URL

URLs that specify a canonical URL which is on a different domain or subdomain. This Hint is flagged as Advisory as it could be the case that nothing is actually wrong here - cross-domain canonicals are used as a valid means of avoiding duplicate content issues - so you may simply wish to check that the canonicals are pointing at the 'right' URLs.

No Issue External redirected URLs

External URLs that redirect (3XX) to another URL. This Hint is Advisory as it does not represent an SEO issue, simply a (relatively small) user issue. Whereas internal redirects can have an impact upon crawl budget and load speed, this does not apply to external redirects.

No Issue Has link with a URL in onclick attribute

URLs that contain at least one outgoing anchor link with a URL in an onclick attribute. This means that the link destination is JavaScript dependent, which search engines can struggle with.

No Issue Has noindex and nofollow directives

Internal URLs with both the noindex and nofollow robots directives. This means that search engines are being instructed not to include the URL in their index, and to not schedule and crawl any of the links found on the pages. This Hint is Advisory since using these type of robots directives is a common way to control what content search engines can crawl and index (e.g. a user login area). However it is worth double checking that there are no URLs using these directives that you actually want to be properly crawled and indexed.

No Issue Internal Disallowed URLs

Internal URLs that are disallowed in robots.txt. Disallowed URLs are not crawlable by search engines, which means that content from disallowed pages is not indexable. This Hint is Advisory since disallowing URLs is a common method for managing search engine crawlers, so they do not end up crawling areas of a website that you don't want them to crawl (e.g. a user login area). However it is worth double checking that there are no URLs that are being disallowed which should not be disallowed.

No Issue Query string contains more than three parameters

URLs that contain a query string with more than 3 parameters (e.g. <http://example.com/page?a=1&b=2&c=3&d=4>). URLs with more than 3 parameters could be considered highly dynamic, for example, faceted search URLs that include multiple filters and sorts. If these are accessible to search engines, they could lead to issues with crawl budget or duplicate content.

No Issue Query string contains paginated parameters

URLs that contain a query string with apparent pagination parameters (e.g. <http://example.com/search?w=shoes&p=2>). URLs with lots of parameters can be considered highly dynamic, for example, faceted search URLs that include multiple filters and sorts. If these also contain pagination parameters, they could lead to issues with crawl budget or duplicate content.

No Issue Query string contains search or filter parameters

URLs that contain a query string with apparent search or filter parameters (e.g. <http://example.com/search?w=shoes>). Since 'search' URLs present the same content in a different order, they don't offer a way for search engines to discover new content, so you typically don't want them spending time crawling these URLs if there are more important unique URLs that are being neglected from a crawl perspective.

No Issue Query string contains sort parameters

URLs that contain a query string with apparent sort parameters (e.g. <http://example.com/search?w=shoes&sort=name>). Since 'sort' URLs present the same content in a different order, they don't offer a way for search engines to discover new content, so you typically don't want them spending time crawling these URLs if there are more important unique URLs that are being neglected from a crawl perspective.

No Issue Redirects using a Meta refresh

The Meta refresh is a simple on page redirect, and is usually used when it is not possible to implement a HTTP redirect. Search engines will follow a meta refresh, and pass on some link equity, but they offer a poor user experience so are not recommended.

No Issue URL only has nofollow incoming internal links

URLs that do not have any followed internal links pointing at them - only nofollow links. If a given URL receives only nofollow links from all the internal URLs that link to it, that means it will not accumulate link equity, and as such would have no power to rank for search queries. This Hint is Advisory since, in some cases, it is entirely appropriate for a URL to have only nofollow links pointing at it (e.g. a user login page). However it is worth double checking that there are no such URLs that you actually want to be properly crawled and indexed.


Internal URLs

All	HTML	Downloads	Broken
29	29	0	10

Internal URLs by Depth

This graph shows the distribution of each different URL status at each crawl depth of the website.

Note that 'Orphaned' URLs were not found by the crawler, so crawl depth cannot be set for those URLs. If a website has any Orphaned URLs, they will always be on the far right of this graph.




Success 9	Not Found 10	Redirected 10	Disallowed 0	Timeout 0	Forbidden 0	Error 0
------------------	---------------------	----------------------	---------------------	------------------	--------------------	----------------

Status	0	1	2
Success	1	8	0
Not Found	0	1	9
Redirect	0	1	9
Timeout	0	0	0
Error	0	0	0
Failed	0	0	0
Disallowed	0	0	0
Forbidden	0	0	0


HTTP Status Codes

This chart shows the distribution of HTTP Status Codes for all URLs crawled. For optimum user experience, you want to see as many as possible with 200 (OK) status.



Crawl Source


This chart shows the relative contribution of each source to the total internal URLs crawled.



Protocols Found

This chart shows you the relative split between different protocols used across the site (generally this will be HTTP/HTTPS).


Most sites should only use a single type, so any significant volume of URLs in both may indicate a configuration error.



Paginated URLs


This chart shows you the relative split between Paginated and Not Paginated indexable URLs, where a Paginated URL is one of a paginated series of URLs (e.g. page 2 of 4).

Pagination, if poorly implemented, has the potential to cause significant SEO issues.



Internal URL Content Types

This chart shows the breakdown of content types, for all URLs that are linked to by an internal anchor. On most sites, the majority of these should be HTML – if not then this could lead to PageRank wastage.



Content Type	URLs
HTML	9



Internal URLs Score

Critical 0 High 2 Medium 1 Low 0 Insights 2 No Issue 12

All Hints 5 Issues 3 Potential Issues 0 Opportunities 0

High

Issue

Broken internal URLs

URLs: 10

Percentage: 34.48%

All internal URLs that weren't successfully audited, and had a crawl status of either Not Found, Error, Forbidden or Timeout. Broken URLs are unwelcome, as they result in a poor user experience, and can also have a negative SEO impact, depending on the type and scale of the issue.

High

Issue

URL resolves under both HTTP and HTTPS

URLs: 14

Percentage: 14.74%

Indexable: 0

Not Indexable: 14

URLs that resolve under both HTTP and HTTPS protocols. This could pose a security risk if users are able to access insecure content (which should be secure) and may also lead to duplicate content issues, if search engines end up crawling both HTTP and HTTPS versions.

Medium

Issue

URL contains whitespace

URLs: 9

Percentage: 31.03%

Indexable: 0

Not Indexable: 9

URLs that contain one or more whitespace characters in the path (e.g. <http://example.com/page 1>). URLs with whitespace characters are not recommended as they could cause issues when site visitors share or link to the URL, potentially leading to broken links and a loss of potential link equity.

Insight

URL contains no Google Analytics code

URLs: 9

Percentage: 100%

Indexable: 0

Not Indexable: 9

URLs that do not contain a Google Analytics code. This may simply be because the website does not use Google Analytics, but may also represent instances where the Google Analytics code is accidentally missing.

Note that this Hint is independent of any Google Tag Manager implementation, and simply means that no Google Analytics code was found on the page.

Insight

URL contains no Google Tag Manager code

URLs: 9

Percentage: 100%

Indexable: 0

Not Indexable: 9

URLs that do not contain a Google Tag Manager code. This may simply be because the website does not use Google Tag Manager, but may also represent instances where the Google Tag Manager code is accidentally missing.

No Issue

URL contains upper case characters

URLs that contain upper case characters in the URL (e.g. <http://example.com/ContactUs>). Ideally URLs should be lower case and not be mixed case, as mixed case URLs can lead to duplicate content, a loss of link equity to the correct version and wasted crawl budget.

No Issue Query string contains a question mark

URLs that contain more than one question mark in the URL path (e.g. <http://example.com/page?a=1?&a=1>). If you include a second question mark in the query, this would be treated as a literal question mark (i.e. it has no significance beyond that of a regular character). Whilst this is not invalid, it is quite unusual, and may indicate some sort of issue with how URLs are generated, so it could warrant further investigation.

No Issue Query string contains repetitive parameters

URLs that contain repetitive parameters in the query string (e.g. <http://example.com/page?a=1&a=1>). Since the second parameter is redundant, the existence of these URLs could lead to duplicate content issues, since the content would be identical to the equivalent URLs with a single parameter. This could also indicate a much bigger problem, as it might imply an issue with the logic of the underlying software which generates the URLs in the first place.

No Issue URL contains a double slash

URLs that contain a double slash in the path (e.g. <http://example.com//page1>). A double slash in the URL path is valid and will respond in the browser, but is typically unwelcome, as this could cause duplicate content issues if the CMS delivers the same content on two URLs (i.e. single slash and double slash).

No Issue URL contains more than one Google Analytics code

URLs that contain multiple Google Analytics codes. Whilst valid, and sometimes deliberate, this might imply a configuration error - such as a plugin inserting an additional code.

No Issue URL contains more than one Google Tag Manager code

URLs that contain multiple Google Tag Manager codes. Whilst it is valid, Google advise to keep the number of Google Tag Manager containers on the page minimal, for best performance.

No Issue URL contains non-ASCII characters

URLs that contain characters outside the ASCII set (e.g. <http://example.com/pag >). This is dangerous as you cannot be certain how search engines or browsers will handle these characters, which could cause unwelcome results if there are issues with the encoding procedure.

No Issue URL contains repetitive elements

URLs that contain repetitive elements in the URL path, which can cause duplicate content issues or broken internal links. Repetitive elements in URL paths are usually caused when the crawler comes across links with relative URLs and the page doesn't have a base URL e.g. <https://example.com/pages/pages/page1>. They can be generated by Content Management Systems, plugins or broken HTML.

A common false positive for this Hint is dates in the path - these can normally be ignored e.g. <https://example.com/2017/11/11/page-name>

No Issue Query string contains more than three parameters

URLs that contain a query string with more than 3 parameters (e.g. <http://example.com/page?a=1&b=2&c=3&d=4>). URLs with more than 3 parameters could be considered highly dynamic, for example, faceted search URLs that include multiple filters and sorts. If these are accessible to search engines, they could lead to issues with crawl budget or duplicate content.

No Issue Query string contains paginated parameters

URLs that contain a query string with apparent pagination parameters (e.g. <http://example.com/search?w=shoes&p=2>). URLs with lots of parameters can be considered highly dynamic, for example, faceted search URLs that include multiple filters and sorts. If these also contain pagination parameters, they could lead to issues with crawl budget or duplicate content.

No Issue Query string contains search or filter parameters

URLs that contain a query string with apparent search or filter parameters (e.g. <http://example.com/search?w=shoes>). Since 'search' URLs present the same content in a different order, they don't offer a way for search engines to discover new content, so you typically don't want them spending time crawling these URLs if there are more important unique URLs that are being neglected from a crawl perspective.

No Issue Query string contains sort parameters

URLs that contain a query string with apparent sort parameters (e.g. <http://example.com/search?w=shoes&sort=name>). Since 'sort' URLs present the same content in a different order, they don't offer a way for search engines to discover new content, so you typically don't want them spending time crawling these URLs if there are more important unique URLs that are being neglected from a crawl perspective.

Links

Internal Link Status

This table shows the status of internal links, so you can instantly see how internal links break down, and if there are any major issues with broken links or redirects.

The 'All' column represents every single link found, whereas 'Unique' represents links that have unique anchor text, target URL and link location (i.e. a templated header link from 500 pages only counts as 1 unique link).

State	All	Unique
Success (200)	223	32
Broken (404 or 410)	10	10
Redirect (301 or 302)	11	11
Error (5xx)	0	0
Forbidden (401 or 403)	0	0
Timeout	0	0
Not Crawled	0	0

External Link Status

This table shows the status of external links, so you can instantly see how external links break down, and if there are any major issues with broken or error links.

The 'All' column represents every single link found, whereas 'Unique' represents links that have unique anchor text, target URL and link location (i.e. a templated header link from 500 pages only counts as 1 unique link).

State	All	Unique
Success (200)	1	1
Broken (404 or 410)	0	0
Redirect (301 or 302)	0	0
Error (5xx)	0	0
Forbidden (401 or 403)	0	0
Timeout	0	0
Not Crawled	0	0

Internal Links - Response vs Render ?

State	All	Unique
Response	244	53
Rendered (JavaScript)	0	0

External Links - Response vs Render ?

State	All	Unique
Response	1	1
Rendered (JavaScript)	0	0

Internal Link Location

This table shows the breakdown of where internal links were found on page, either in the header, footer, 'other' navigation, or in the content area itself. This allows you to split out your link analysis to consider templated links separately from more contextual content-based cross links.

The 'All' column represents every single link found, whereas 'Unique' represents links that have unique anchor text, target URL and link location (i.e. a templated header link from 500 pages only counts as 1 unique link).

Location	All	Unique
Header	216	27
Navigation	0	0
Footer	18	18
Content	0	0

External Link Location

This table shows the breakdown of where external links were found on page, either in the header, footer, 'other' navigation, or in the content area itself. This allows you to split out your link analysis to consider templated links separately from more contextual content-based cross links.

The 'All' column represents every single link found, whereas 'Unique' represents links that have unique anchor text, target URL and link location (i.e. a templated header link from 500 pages only counts as 1 unique link).

Location	All	Unique
Header	0	0
Navigation	0	0
Footer	0	0
Content	0	0

URL Rank (UR) by Crawl Status

URL Rank (UR) by Crawl Status allows you to quickly spot if you have any broken or redirect pages that are strong in terms of URL Rank (UR), which is a wasteful use of the site's link equity.

This table plot pages grouped by ranges of URL Rank (UR) against Crawl Status. The ranges go from 0-2 (weakest pages) up to 8-10 (strongest pages).

Crawl Status	0	1 to 20	21 to 40	41 to 60	61 to 80	81 to 100
Success	0	0	0	0	0	9
Redirect	0	0	10	0	0	0
Not Found	0	0	10	0	0	0

URL Rank (UR) by Depth

URL Rank (UR) by Depth allows you to see where strong or weak pages lie in the overall architecture of the website. Typically you would expect to see the strongest pages at depth 0 or 1, with the weaker pages much deeper in the architecture.

This table plot pages grouped by ranges of URL Rank (UR) against crawl Depth. The ranges go from 0-2 (weakest pages) up to 8-10 (strongest pages).

Depth	0	1 to 20	21 to 40	41 to 60	61 to 80	81 to 100
Depth 0	0	0	0	0	0	1
Depth 1	0	0	2	0	0	8
Depth 2	0	0	18	0	0	0

URL Rank (UR) by Index Status


URL Rank (UR) by Index Status allows you to spot any strong pages which are not indexable, which is a wasteful use of the site's link equity.

This table plot pages grouped by ranges of URL Rank (UR) against Index Status. The ranges go from 0-2 (weakest pages) up to 8-10 (strongest pages).

Index Status	0	1 to 20	21 to 40	41 to 60	61 to 80	81 to 100
Not Indexable	0	0	20	0	0	9


Internal Anchor Text Word Counts

This pie chart groups internal links based on the number of words used in anchor text. For example, '2 words' represents all the unique 2 word combinations used in anchor text for internal links on the website.



Unique External Nofollow Links

This pie chart groups unique external links based on their link rel values, which would either be follow (by default), nofollow, sponsored or ugc – either singularly or in combination.



Words	URLs
1 Word	8
2 Words	4
3 Words	3
4 Words	0
5+ Words	0
Missing or Empty	1

Type	URLs
Follow Links	1
Nofollow Links	0
Sponsored Links	0
UGC Links	0


Incoming Internal Followed Links

This chart shows the number of incoming followed internal links, split into ranges along the x-axis.

The two bars represent slightly different things:

- Followed Linking URLs is the number of actual URLs that link to a URL.
- Followed Links is the number of actual links to a URL (where any single URL could link to another URL on multiple occasions).

As an example, a given URL may have 7 links in total, coming from 3 unique URLs. This would contribute 1 to the range 1-5 for 'Followed Linking URLs', and 1 to the range 6-10 for 'Followed Links'.



Range	Followed Linking URLs	Followed Links
0	0	0
1-5	20	20
6-10	9	0
11-20	0	7
21-50	0	1
51-100	0	1
101-500	0	0
500+	0	0



Links Score

Critical	0	High	1	Medium	1	Low	1	Insights	0	No Issue	14
All Hints	3	Issues	1	Potential Issues	0	Opportunities	2				

High

Opportunity

Has only one followed internal linking URL

URLs: 20

Percentage: 68.97%

Indexable: 0

Not Indexable: 20

URLs that only have a followed incoming link from one other URL on the website. URLs with only a single followed incoming link only inherit a small amount of link equity, which can make ranking very difficult.

Medium

Opportunity

Has an internal link with no anchor text

URLs: 1

Percentage: 3.45%

Indexable: 0

Not Indexable: 1

URLs that contain at least one outgoing anchor link which has no anchor text. This represents a missed opportunity to provide additional information about the target page to search engines, which could have an impact on this page's ability to rank for relevant search queries.

Low

Issue

Has a link with an empty href attribute

URLs: 9

Percentage: 31.03%

Indexable: 0

Not Indexable: 9

URLs that contain at least one outgoing anchor link which has an empty href attribute. This may be because a link was intended to be added, but was not. It also may represent a bug in the underlying code, which is adding <a>tags where it should not.

No Issue

Has link with a URL referencing a local or UNC file path

URLs that contain at least one outgoing anchor link with a URL referencing a local or UNC file path. These links are normally left in by accident, and will not be publicly accessible, so site visitors and search engines will be unable to follow the link.

No Issue

Has link with a URL referencing LocalHost or 127.0.0.1

URLs that contain at least one outgoing anchor link with a URL referencing LocalHost or 127.0.0.1. These links are normally the accidental remains of development work, and will not be publicly accessible, so site visitors and search engines will be unable to follow the link.

No Issue

Has a link with whitespace in href attribute

URLs that contain at least one outgoing anchor link which has trailing or leading whitespace character in the href attribute. Whitespace in href attributes may cause a loss or dissipation of link equity, if search engines treat the link targets as distinct URLs.

No Issue

Has link to a non-HTTP protocol

The URL contains outgoing anchor links which use a non-HTTP protocol (e.g. link to ftp://example.com/page). If you have links with a non-HTTP protocol, there is no guarantee how they would be handled by the user's browser. For example, using the FTP protocol in a HTML link will cause the link to be opened by the users' default FTP client.

No Issue **Has no outgoing links**

URLs that don't link to any other URL, internal or external. If you have URLs with no outgoing links, this means that they are unable to pass on link equity to other URLs within the website architecture. As such, they act like a PageRank black hole - they accumulate link equity from incoming links, but don't pass it back out to other URLs on the website.

No Issue **Has outgoing links with malformed href data**

URLs that contain at least one outgoing anchor link which has malformed href data. This means that link equity will not be passed through to the link target, as the link itself is invalid. It may also mean that crawlers are unable to find the destination URL, so crawling, indexing and ranking may all be affected.

No Issue **URL is orphaned and was not found by the crawler**

URLs that are not part of the crawlable website architecture. Orphaned URLs were not found as part of the website crawl, so were instead picked up by a different crawl source (XML Sitemap, URL List, Google Analytics or Google Search Console). The presence of orphaned URLs is not necessarily bad, however the cases you need to pay attention to are when you find orphaned URLs that return a 200 (OK) response. These are typically old URLs that need to be removed, or URLs that should be linked to, but aren't for some reason.

No Issue **Has an anchored image with no alt text**

URLs that contain anchor links to image URLs with no alt text, or no alt attribute. For linked images, the alt text is considered equivalent to anchor text, and represents an opportunity to communicate meaning and context to search engines.

No Issue **Has incoming followed links that do not use descriptive anchor text**

The URL receives incoming followed links from other internal URLs, which do not use descriptive anchor text (they instead have anchor text like 'click here', 'go', 'here', etc...). Descriptive anchor text can help search engines and users alike to better understand your content.

No Issue **Has one or more outgoing followed links with non descriptive anchor text**

The URL contains outgoing anchor links which do not use descriptive anchor text (they instead have anchor text like 'click here', 'go', 'here', etc...). Descriptive anchor text can help search engines and users alike to better understand your content.

No Issue **Only receives nofollow links or links from canonicalized URLs**

URLs found by the crawler that only receive incoming nofollow links, or incoming links from canonicalized URLs. In other words, the URL only receives links from URLs that do not pass Link Equity - which means that the URL has no power to rank in search results.

No Issue **Pagination URL has no incoming internal links**

URLs that are declared as a pagination URL, via rel=next/prev links on another URL, but which has no incoming anchor links from internal URLs. Typically, this is a result of a misconfiguration in the website platform or CMS, which erroneously adds pagination markup and spawns pages that should not exist.

No Issue **URL receives both follow & nofollow internal links**

URLs that have a mixture of followed and nofollowed incoming links. If a given URL receives nofollowed links, this is usually a deliberate act, either because the website owner does not want to pass link equity to the linked URL, or they do not want search engines to crawl it. However, if even one other URL links to this page using followed links, this can negate the affect that the website owner was trying to achieve with the nofollow.

No Issue **Has link with a URL in onclick attribute**

URLs that contain at least one outgoing anchor link with a URL in an onclick attribute. This means that the link destination is JavaScript dependent, which search engines can struggle with.

Indexability

Indexable	Not Indexable	Nofollow	Disallowed
0	29	0	0

Robots.txt Configuration

If a search engine crawler is being blocked by robots.txt, it is unlikely that the website's content will be crawled.


Google	✓ Crawable	Bing	✓ Crawable	Yahoo!	✓ Crawable
DuckDuckGo	✓ Crawable	Baidu	✓ Crawable	Yandex	✓ Crawable

Canonical to Noindex	Canonical to Disallowed	Canonical to Error	Canonical to Redirect
0	0	0	0

Indexability Status

The chart shows the split of Indexability to Not Indexable URLs, for internal HTML URLs only.


URLs that are non indexable are unlikely to show in search results, and should be reviewed to ensure the configuration is as intended.



Canonicals

This chart shows the breakdown of canonicalization, for internal HTML URLs only.

URLs that are canonicalized to anything other than 'self' are unlikely to show in search results, and should be reviewed to ensure the configuration is as intended.




Indexability Status by Depth

This graph shows the Indexability distribution at each crawl depth of the website, for internal HTML URLs only.

A large quantity of Not Indexable pages at low crawl depth could cause potential issues in search.

Note that 'Orphaned' URLs were not found by the crawler, so crawl depth cannot be set for those URLs. If a website has any Orphaned URLs, they will always be on the far right of this graph.



Status	0	1	2
Indexable	0	0	0
Not Indexable	1	10	18



Indexability Score

Critical	3	High	1	Medium	0	Low	0	Insights	0	No Issue	42
All Hints	4	Issues	3	Potential Issues	1	Opportunities	0				

Critical

Issue

Disallowed image

URLs: 27

Percentage: 100%

Image URLs that are disallowed in robots.txt, which may affect how search engines render page content. If these page resource URLs are disallowed in robots.txt, it means that Googlebot may be unable to correctly render the page content. Google relies on rendering in a number of their algorithms - most notably the 'mobile friendly' one - so if content cannot be properly rendered, this could have a knock on effect in terms of search engine rankings.

Critical

Issue

Disallowed JavaScript file

URLs: 31

Percentage: 100%

JavaScript files that are disallowed in robots.txt, which may affect how search engines render page content. If these page resource URLs are disallowed in robots.txt, it means that Googlebot may be unable to correctly render the page content. Google relies on rendering in a number of their algorithms - most notably the 'mobile friendly' one - so if content cannot be properly rendered, this could have a knock on effect in terms of search engine rankings.

Critical

Issue

Disallowed Style Sheet

URLs: 24

Percentage: 100%

CSS files that are disallowed in robots.txt, which may affect how search engines render page content. If these page resource URLs are disallowed in robots.txt, it means that Googlebot may be unable to correctly render the page content. Google relies on rendering in a number of their algorithms - most notably the 'mobile friendly' one - so if content cannot be properly rendered, this could have a knock on effect in terms of search engine rankings.

High

Potential Issue

URL contains a form with a GET method

URLs: 9

Percentage: 100%

Indexable: 0

Not Indexable: 9

URLs that contain a form element with the method set to GET, which creates submission URLs with the form data in the query string. This presents a potential vulnerability for a large number of URLs to be created and/or cached, which could cause issues with crawl efficiency or index bloat

No Issue

<head> contains a <noscript> tag, which includes an image

URLs where the <head> contains a <noscript> tag, which includes an image. Including an tag in the <head> is invalid. This can be problematic for search engines crawlers that do not render JavaScript (i.e. most crawlers, most of the time), as the presence of the tag breaks the <head>, which may cause important tags (e.g. meta robots) to be missed.

No Issue

<head> contains invalid HTML elements

URLs where the <head> contains invalid DOM elements. Valid elements that can be used inside the <head> element are <title>, <meta>, <base>, <link>, <script>, <noscript>, <style> and <template>. Including invalid elements can lead to the HTML document not being parsed correctly, as the presence of other elements breaks the <head>, which may cause important tags (e.g. meta robots) to be missed.

No Issue Canonical outside of head

URLs that have a canonical link element in the HTML which has been placed outside the <head>. Search engines will ignore canonical designations that do not appear in the <head>, so this issue could cause indexing problems.

No Issue Meta robots found outside of <head>

URLs that have a meta robots tag in the HTML which has been placed outside the <head>. Meta robots tags are supposed to only be contained in the <head>, but even if they are found in the <body> they will be respected by search engines, despite what you might expect. This may mean you are giving conflicting or inaccurate indexing signals to search engines, without realising it.

No Issue Canonical is malformed or empty

URLs that specify a canonical URL which is invalid or undefined. If canonical URLs are undefined (e.g. <link rel="canonical" href="">) or invalid (e.g. <link rel="canonical" href="http://example.com/">) this indicates a configuration issue and should be addressed.

No Issue Canonical loop

URLs that specify a canonical URL, where the canonical URL also specifies a canonical, which in turn points back to the original URL. This causes a canonical loop (e.g. URL1 -> URL2 -> URL1) and could cause search engines to completely ignore all canonical instructions.

No Issue Canonical only found in rendered DOM

URLs that contain a canonical link element on the rendered version of the page, but do not contain one in the HTML source. Google have stated categorically that the rendered canonical is not taken into account, so relying on it for indexing purposes is not recommended.

No Issue Canonical points to a disallowed URL

URLs that specify a canonical URL which is disallowed by robots.txt. Search engines will be unable to crawl the disallowed URL, so the canonical instruction will likely be ignored.

No Issue Canonical points to a noindex URL

URLs that specify a canonical URL which is noindex. This constitutes conflicting messages to search engines, and as such the canonical instruction will likely be ignored.

No Issue Canonical points to a URL that is Error (5XX)

URLs that specify a canonical URL which returned an Error (5XX) HTTP status. This can indicate to search engines that the canonical information is inaccurate, and as such, the canonical instruction may be ignored. Server errors can be transient, so it is worth double checking the error URLs to verify there is an issue.

No Issue Canonical points to a URL that is Not Found 404

URLs that specify a canonical URL which returned a Not Found (4XX) HTTP status. This indicates that the canonical URL has either been removed or misconfigured, and as such, the canonical instruction is likely to be ignored by search engines.

No Issue Canonical points to another canonicalized URL

URLs that specify a canonical URL, where the canonical URL also specifies a (different) canonical URL. This causes a canonical chain (e.g. URL1 -> URL2 -> URL3) and could cause search engines to completely ignore all canonical instructions.

No Issue Canonical points to HTTP version

HTTPS URLs that specify a canonical URL which is the HTTP version of the same URL (i.e. mismatched protocol). This could lead to search engines indexing the 'wrong' version of the URL, or ignoring the canonical instruction entirely.

No Issue Canonical points to HTTPS version

HTTP URLs that specify a canonical URL which is the HTTPS version of the same URL (i.e. mismatched protocol). This could lead to search engines indexing the 'wrong' version of the URL, or ignoring the canonical instruction entirely.

No Issue Canonicalized URL is noindex, nofollow

URLs that are canonicalized, and also noindex, nofollow. Canonicals consolidate and combine indexing signals, so if a URL has a noindex on it, this noindex may also get passed through to the canonicalized page.

No Issue Isolated URL - only found via a canonical

URLs that are declared as the canonical URL (on another URL), but which have no incoming anchor links from internal URLs (i.e. the only links they have are from the canonical link element). This means that the canonical URL is not part of the overall site architecture - it is not accessible to website visitors, and is not being properly assigned link equity for ranking purposes.

No Issue Isolated URL - only found via a noindex,follow

URLs that are accessible via links on pages that are noindex,follow, but which have no other incoming anchor links from internal URLs. Over time, Google will stop following links to these pages, which means that they end up isolated from the link graph. Eventually, these URLs will lose their ability to rank for relevant search queries, and may end up being dropped from the index.

No Issue Isolated URL - only found via a redirect

URLs that are set as the location on redirecting URLs, but which have no incoming anchor links from internal URLs. This means that the destination URL is isolated from the main link graph, and may not be properly assigned link equity for ranking purposes.

No Issue Isolated URL - only linked from other isolated URLs

URLs that are accessible via links on isolated URLs, but which have no other incoming anchor links from internal URLs. Since these pages are effectively the 'children' of isolated pages, they suffer the same problems as isolated pages, in that they may have difficulty getting indexed and will struggle to rank due to low/no link equity.

No Issue Mismatched canonical tag in HTML and HTTP header

URLs that have a canonical URL defined both in the HTML and in the HTTP header, which are specifying different canonical URLs. This constitutes conflicting messages to search engines, and as such the canonical instruction will likely be ignored.

No Issue Mismatched nofollow directives in HTML and header

URLs with the robots follow/nofollow directive specified in both the HTML <head> and also in the X-Robots-Tag, where the directives do not match. This means that one location uses 'follow' and the other uses 'nofollow', and net result of this is that search engines will consider the page 'nofollow'. This may cause crawling and indexing issues on important pages.

No Issue **Mismatched noindex directives in HTML and header**

URLs with the robots index/noindex directive specified in both the HTML <head> and also in the X-Robots-Tag, where the directives do not match. This means that one location uses 'index' and the other uses 'noindex', and net result of this is that search engines will consider the page 'noindex', which may cause important pages to end up not indexed.

No Issue **Multiple, mismatched canonical tags**

URLs that specify a canonical URL more than once, either in the HTML, in the HTTP header, or in both, where the canonical URLs do not match. This constitutes conflicting messages to search engines, and as such the canonical instruction will likely be ignored. In this circumstance, we recommend selecting the correct canonical URL, and ensuring that canonical URLs are declared only once on any given URL, using a single method (HTML or HTTP header).

No Issue **Rendered Canonical is different to HTML source**

URLs that contain a canonical link element on the rendered version of the page, which is different to the one in the source HTML. Google have stated categorically that the rendered canonical is not taken into account, so relying on it for indexing purposes is not recommended. At best, this situation leads to ambiguity - at worst, search engines will select the wrong version and you could damage organic search traffic.

No Issue **Canonical is a relative URL**

URLs that specify a canonical URL using a relative URL. Search engines do not recommend using relative URLs for canonicals as they can lead to future issues (even if there are no issues currently).

No Issue **Canonical points to a redirecting URL**

URLs that specify a canonical URL which returned a Redirect (3XX) HTTP status. This indicates to search engines that the canonical information is inaccurate, and as such, the canonical instruction may be ignored.

No Issue **Canonical points to homepage**

URLs that specify a canonical URL that points to the homepage. This causes an issue when URLs which are not duplicates of the homepage have a canonical which points to the homepage, as this typically indicates a misconfiguration, and could cause indexing issues.

No Issue **Multiple nofollow directives**

URLs with the robots nofollow directive specified in more than one location (e.g. two SEO plugins that both add robots directives to the HTML). It is considered best practice to only specify robots directives once on any given URL, as this helps avoid potential issues in the future.

No Issue **Multiple noindex directives**

URLs with the robots noindex directive specified in more than one location (e.g. two SEO plugins that both add robots directives to the HTML). It is considered best practice to only specify robots directives once on any given URL, as this helps avoid potential issues in the future.

No Issue **Nofollow in HTML and HTTP header**

URLs with the robots nofollow directive specified in both the HTML <head> and also in the X-Robots-Tag. It is considered best practice to only specify robots directives once on any given URL, as this helps avoid potential issues in the future.

No Issue **Noindex in HTML and HTTP header**

URLs with the robots noindex directive specified in both the HTML <head> and also in the X-Robots-Tag. It is considered best practice to only specify robots directives once on any given URL, as this helps avoid potential issues in the future.

No Issue **Base URL malformed or empty**

URLs that specify a base URL which is malformed or empty. The base tag is used to determine the URL base for all relative links used within a page. If the base tag is malformed or empty, this may cause problems for search engines crawling relative links.

No Issue **Canonical tag in HTML and HTTP header**

URLs that have a canonical URL defined both in the HTML and in the HTTP header. This Hint is flagged as Advisory as it is not 'wrong' per se, but could lead to future complications if changes are made to one canonical element but not both. As such, we recommend only using one method of declaring canonical URLs.

No Issue **Multiple base URLs**

URLs that specify more than one base URL. The base tag is used to determine the URL base for all relative links used within a page. A document can have no more than one base element, so multiple base tags is invalid, and this may cause problems for search engines crawling relative links.

No Issue **Multiple canonical tags**

URLs that specify a canonical URL more than once, either in the HTML, in the HTTP header, or in both. This Hint is flagged as Advisory as it may not be 'wrong' per se, but could lead to future complications if changes are made to one canonical element but not the other. As such, we recommend that canonicals are only declared once on any given URL, using a single method (HTML or HTTP header).

No Issue **Multiple, mismatched base URLs**

URLs that specify more than one base URL, and the URLs are different. The base tag is used to determine the URL base for all relative links used within a page. A document can have no more than one base element, so multiple base tags is invalid, and this may cause problems for search engines crawling relative links - particularly as the base URLs are different, there is no guarantee they will select the 'right' one.

No Issue **<head> contains a <noscript> tag**

URLs where the <head> contains a <noscript> tag. You need to be very careful using <noscript> tags in the <head>, as you can very easily break the <head>, which can cause problems for search engines as they may be unable to find important head-only tags, such as hreflang.

No Issue **Canonical points to a different internal URL**

URLs that specify a canonical URL which is not self-referential, and instead points to another internal URL. This Hint is flagged as Advisory as it could be the case that nothing is actually wrong here - canonicals are used as a valid means of avoiding duplicate content issues - so you may simply wish to check that the canonicals are pointing at the 'right' URLs.

No Issue **Canonical points to external URL**

URLs that specify a canonical URL which is on a different domain or subdomain. This Hint is flagged as Advisory as it could be the case that nothing is actually wrong here - cross-domain canonicals are used as a valid means of avoiding duplicate content issues - so you may simply wish to check that the canonicals are pointing at the 'right' URLs.

No Issue **Has noindex and nofollow directives**

Internal URLs with both the noindex and nofollow robots directives. This means that search engines are being instructed not to include the URL in their index, and to not schedule and crawl any of the links found on the pages. This Hint is Advisory since using these type of robots directives is a common way to control what content search engines can crawl and index (e.g. a user login area). However it is worth double checking that there are no URLs using these directives that you actually want to be properly crawled and indexed.

No Issue **Internal Disallowed URLs**

Internal URLs that are disallowed in robots.txt. Disallowed URLs are not crawlable by search engines, which means that content from disallowed pages is not indexable. This Hint is Advisory since disallowing URLs is a common method for managing search engine crawlers, so they do not end up crawling areas of a website that you don't want them to crawl (e.g. a user login area). However it is worth double checking that there are no URLs that are being disallowed which should not be disallowed.

No Issue **URL only has nofollow incoming internal links**


URLs that do not have any followed internal links pointing at them - only nofollow links. If a given URL receives only nofollow links from all the internal URLs that link to it, that means it will not accumulate link equity, and as such would have no power to rank for search queries. This Hint is Advisory since, in some cases, it is entirely appropriate for a URL to have only nofollow links pointing at it (e.g. a user login page). However it is worth double checking that there are no such URLs that you actually want to be properly crawled and indexed.

Redirects

Internal Redirects	External Redirects	Page Resource Redirects
10	0	0

Redirected URLs by Depth


This graph shows the distribution of each different URL status at each crawl depth of the website. Note that 'Orphaned' URLs were not found by the crawler, so crawl depth cannot be set for those URLs. If a website has any Orphaned URLs, they will always be on the far right of this graph.



Status	0	1	2
Internal	0	1	9
External	0	0	0
Resource	0	0	0


Internal Redirected URL HTTP Status Codes

This chart shows the distribution of HTTP Status Codes for all URLs crawled. For optimum user experience, you want to see as many as possible with 200 (OK) status.




Internal Redirected URL Crawl Source

This chart shows the relative contribution of each source to the total internal URLs crawled.





Redirections Score



High

Issue

Internal redirects from trailing slash mismatch

URLs: 3

Internal URLs that redirect due to a trailing slash mismatch. This occurs when the server encounters URLs that don't match expectation - so it will redirect to a URL that either adds or removes the trailing slash, depending on the setup. Internal links that cause these redirects cause unnecessary work for search engine crawlers, and the server itself, particularly when they are template based, and therefore widespread.

Medium

Issue

Internal redirected URLs

URLs: 10

Percentage: 34.48%

Internal URLs that redirect (3XX) to another URL. Redirects add an extra 'hop' to the request, which means it takes longer for the content to become available, which is a bad user signal, and means that search engine crawlers have to do additional 'work' to find the content.

No Issue

External URL redirect broken (4XX or 5XX)

External URLs that redirect to a URL which is Not Found (4XX) or Error (5XX). This is a bad experience for users and search engines alike, as they will be unable to reach the content.

No Issue

Internal redirects from case normalization

Internal URLs that redirect due to case normalization. This occurs when the server encounters URLs that don't match expectation - so it will redirect to a URL with characters of the correct case (typically lower case). Internal links that cause these redirects cause unnecessary work for search engine crawlers, and the server itself, particularly when they are template based, and therefore widespread.

No Issue

Internal URL is part of a chained redirect loop

Internal URLs that are part of a redirect chain which results in a redirect loop (e.g. URL 1 -> URL 2 -> URL 3 -> URL 1). This is bad for SEO as search engine crawlers will be unable to access the page content to index it. It is also bad for users, who will be shown an error page (e.g. 'Website redirected you too many times').

No Issue

Internal URL redirect broken (4XX or 5XX)

URLs that redirect to a URL which is Not Found (4XX) or Error (5XX). This is a bad experience for users and search engines alike, as they will be unable to reach the content.

No Issue

Internal URL redirects back to itself

Internal URLs that redirect in a loop (e.g. URL 1 -> URL 1). This is bad for SEO as search engine crawlers will be unable to access the page content to index it. It is also bad for users, who will be shown an error page (e.g. 'Website redirected you too many times').

No Issue Page resource URL is part of a chained redirect loop

Page resource URLs that are part of a redirect chain which results in a redirect loop (e.g. URL 1 -> URL 2 -> URL 3 -> URL 1). This means that the resource is inaccessible, which may affect how page content is rendered.

No Issue Page resource URL redirects back to itself

Page resource URLs that redirect in a loop (e.g. URL 1 -> URL 1). This means that the resource is inaccessible, which may affect how page content is rendered.

No Issue Resource URL redirect broken (4XX or 5XX)

Resource URLs that redirect to a URL which is Not Found (4XX) or Error (5XX). The URL in question is a page resource URL (e.g. CSS or JavaScript file), which means it is used for rendering the content on a page. If the resource is no longer accessible, this may affect how it is rendered, which could cause a poor user experience.

No Issue Redirected page resource URLs

Page resource URLs, such as JavaScript and CSS files, that redirect to another URL - which may affect load time and cause page content to render incorrectly.

No Issue External redirected URLs

External URLs that redirect (3XX) to another URL. This Hint is Advisory as it does not represent an SEO issue, simply a (relatively small) user issue. Whereas internal redirects can have an impact upon crawl budget and load speed, this does not apply to external redirects.


No Issue Redirects using a Meta refresh

The Meta refresh is a simple on page redirect, and is usually used when it is not possible to implement a HTTP redirect. Search engines will follow a meta refresh, and pass on some link equity, but they offer a poor user experience so are not recommended.

On Page

Word Counts

This graph shows the amount of URLs with different word count ranges, so you can see if you have lots of URLs with only a small number of words – which could be considered thin content.



Range	URLs
No words found	0
1 to 25 Words	0
25 to 50 Words	0
50 to 100 Words	1
100 to 250 Words	5
250 to 500 Words	2
500 to 900 Words	1
900+ Words	0


Image Alt Text

The options below present three different ways to access image alt text data, either at an image level, or a page level (HTML URLs).

State	URLs
Images () with Alt Text	42
Images () with Missing or empty Alt Text	9
HTML URLs with Images Missing Alt Text	3

Title Length


This chart shows the distribution of URLs based on the length of their title tag, in characters.



- Empty
- Good (40-60 ch)
- Too Short (< 40 ch)
- Too Long (> 60 ch)

Title Identification

This chart shows the distribution of URLs based on the number of title tags present..



- Missing
- Only One
- More Than One

Meta Description Length


This chart shows the distribution of URLs based on the length of their meta description, in characters.



- Empty
- Good (110-230 ch)
- Too Short (< 110 ch)
- Too Long (> 230 ch)

Meta Description Identification


This chart shows the distribution of URLs based on the number of meta descriptions present.



- Missing
- Only One
- More Than One

Header 1 Length


This chart shows the distribution of URLs based on the length of their header 1, in words.



- Empty
- Good (3-10 words)
- Too Short (< 3 words)
- Too Long (> 10 words)

Header 1 Identification

This chart shows the distribution of URLs based on the number of h1 tags present.



- Missing
- Only One
- More Than One



On Page Score

Critical 0 High 0 Medium 2 Low 4 Insights 0 No Issue 12

All Hints 6 Issues 0 Potential Issues 2 Opportunities 4

Medium

Opportunity <h1> tag is missing

URLs: 5 Percentage: 55.56% Indexable: 0 Not Indexable: 5

HTML URLs that do not contain a header 1. The header 1 (h1) tag is considered important to help both users and search engines to quickly understand what content they can expect to find on the page. If the <h1> is not present, this represents a missed optimization opportunity.

Medium

Opportunity Images with missing alt text

URLs: 9 Percentage: 17.65%

Images with no alt attribute or missing alt text. Alt text is important for accessibility, to communicate meaning and context about the image to visually impaired users. Search engines also use alt text to understand the meaning and context, so images with no alt text represent poor accessibility, and a missed SEO opportunity.

Low

Potential Issue Meta description is missing

URLs: 9 Percentage: 100% Indexable: 0 Not Indexable: 9

URLs that do not contain a meta description. The meta description is considered important to help users quickly understand what content they can expect to find on the page, when clicking through from the search engine results page. Well written meta descriptions typically achieve a better click-through-rate. If the meta description is missing, this represents a missed optimization opportunity.

Low

Opportunity Title tag length too short

URLs: 6 Percentage: 66.67% Indexable: 0 Not Indexable: 6

URLs that contain a title tag with too few characters. If the title uses too few characters, it may not be sufficient to effectively communicate the desired message.

Low

Potential Issue Multiple <h1> tags

URLs: 2 Percentage: 22.22% Indexable: 0 Not Indexable: 2

URLs that contain multiple header 1s. Having more than one <h1> tag can be a sign of poor content structure, and could de-emphasize keyword associations with the page.

Low

Opportunity <h1> length too short

URLs: 2 Percentage: 22.22% Indexable: 0 Not Indexable: 2

URLs that contain a header 1 with too few words. If the <h1> does not use many words, it may not be well optimized to effectively communicate the desired message. It is considered best practice to try and include the main target keywords for the page in the <h1>, whilst also communicating 'what the page is about.'

No Issue **HTML is missing or empty**

URLs do not contain any HTML. If there is no HTML content, then users and search engines alike will not be able to access any visible content.

No Issue **Title tag is empty**

HTML URLs that contain an empty <title> element. The title tag is considered one of the most important on-page SEO factors, so if it is not present this represents an issue that may affect search engine rankings and click-through-rate from the search results.

No Issue **Title tag is missing**

HTML URLs that do not contain the <title> element. The title tag is considered one of the most important on-page SEO factors, so if it is missing this represents an issue that may affect search engine rankings and click-through-rate from the search results.

No Issue **Multiple title tags**

URLs that contain more than one <title> element. If there are multiple title tags on the page, it may lead to search engines displaying the 'wrong' one, which in turn may lead to lower engagement or CTR from search results, and may also have an SEO impact.

No Issue **<h1> tag is empty**

HTML URLs that have an empty header 1. The header 1 (h1) tag is considered important to help both users and search engines to quickly understand what content they can expect to find on the page. If the <h1> is empty, this represents a missed optimization opportunity.

No Issue **<h1> length too long**

URLs that contain a header 1 with too many words. If the <h1> uses too many words, it may not be well optimized to effectively communicate the desired message. It is considered best practice to try and include the main target keywords for the page in the <h1>, whilst also communicating 'what the page is about.'

No Issue **Meta description is empty**

URLs that have an empty meta description. The meta description is considered important to help users quickly understand what content they can expect to find on the page, when clicking through from the search engine results page. Well written meta descriptions typically achieve a better click-through-rate. If the meta description is empty, this represents a missed optimization opportunity.

No Issue **Meta description length too long**

URLs that contain a meta description with too many characters. If the meta description is very long, this may mean it has been automatically generated or is not well optimized, and may achieve poor click-through-rate as a result. Depending on the query, search engines may truncate or rewrite meta descriptions that are too long.

No Issue **Meta description length too short**

URLs that contain a meta description with too few characters. If the meta description is particularly short, this may mean it has been automatically generated or is not well optimized, and may achieve poor click-through-rate as a result.

No Issue **Multiple meta descriptions**

URLs that contain multiple meta descriptions. If there are multiple meta descriptions on the page, it may lead to search engines displaying the 'wrong' one, which in turn may lead to lower engagement or CTR from search results.

No Issue **Title and meta description are the same**

URLs that have identical text for the title and meta description. The title and meta description serve very different purposes, and if they are identical then this is usually the result of a misconfigured plugin or script.


No Issue **Title tag length too long**

URLs that contain a title tag with too many characters. If the title uses too many characters, it may not be well optimized to effectively communicate the desired message. Depending on the query, search engines may truncate or rewrite titles that are too long.

Response vs Rendered

Meta Robots

Differences in meta robots between the response and rendered HTML, this may cause indexing issues.




- No Change
- Duplicated
- Created
- Deleted
- Modified

Status	URLs
No Change	9
Created	0
Modified	0
Duplicated	0
Deleted	0

Canonical

Differences in the canonical between the response and rendered HTML, this may cause indexing issues.




- No Change
- Duplicated
- Created
- Deleted
- Modified

Status	URLs
No Change	9
Created	0
Modified	0
Duplicated	0
Deleted	0

Title

Differences between the page title found in the response and rendered HTML may mean that JavaScript is modifying the page content in unexpected ways, which may warrant further investigation.




- No Change
- Created
- Modified
- Duplicated
- Deleted

Status	URLs
No Change	9
Created	0
Modified	0
Duplicated	0
Deleted	0

Meta Description

Differences between the meta description found in the response and rendered HTML may mean that JavaScript is modifying metadata in unexpected ways, which may warrant further investigation.




- No Change
- Created
- Modified
- Duplicated
- Deleted

Status	URLs
No Change	9
Created	0
Modified	0
Duplicated	0
Deleted	0

Internal Links

Differences between the internal links found in the response and rendered HTML means that JavaScript is adding or modifying links, which may affect crawling/link discovery, anchor text optimisation and internal PageRank distribution.




- No
- Created
- Modified

Status	URLs
No	244
Created	0
Modified	0

External Links

Differences between the external links found in the response and rendered HTML means that JavaScript is adding or modifying links, which may indicate that external links are being injected without the site owner's awareness.



- No
- Created
- Modified

Status	URLs
No	1
Created	0
Modified	0

Security

Protocols

Protocol	Supported	Action
TLS 1.3	Yes 	None
TLS 1.2	Yes 	None
TLS 1.1	No 	None
TLS 1.0	No 	None
SSL 3.0	No 	None

Cipher Suites

Suite	Name	Type	Action
TLS 1.3	TLS_AES_128_GCM_SHA256	Secure	None
TLS 1.3	TLS_AES_256_GCM_SHA384	Secure	None
TLS 1.3	TLS_CHACHA20_POLY1305_SHA256	Secure	None
TLS 1.2	DHE_RSA_WITH_AES_128_GCM_SHA256	Secure	None
TLS 1.2	DHE_RSA_WITH_AES_256_GCM_SHA384	Secure	None
TLS 1.2	ECDHE_RSA_WITH_AES_128_GCM_SHA256	Secure	None
TLS 1.2	ECDHE_RSA_WITH_AES_256_GCM_SHA384	Secure	None
TLS 1.2	ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256	Secure	None

Certificates

Certificate is valid. There are no issues with the SSL certificates being served for this website.


Certificate 1	
Subject	CN=*.eb8.myftpupload.com
Common Name	*.eb8.myftpupload.com
Alternative Names	*.eb8.myftpupload.com, eb8.myftpupload.com
Issuer	Go Daddy Secure Certificate Authority - G2
Effective Date	3/5/2022 4:27:39 PM
Expiration Date	4/6/2023 5:27:39 PM
Key	2048

Certificate 2	
Subject	CN=Go Daddy Secure Certificate Authority - G2, OU=http://certs.godaddy.com/repository/, O="GoDaddy.com, Inc.", L=Scottsdale, S=Arizona, C=US
Common Name	Go Daddy Secure Certificate Authority - G2
Alternative Names	Go Daddy Secure Certificate Authority - G2
Issuer	Go Daddy Root Certificate Authority - G2
Effective Date	5/3/2011 3:00:00 AM
Expiration Date	5/3/2031 3:00:00 AM
Key	2048

Certificate 3	
Subject	CN=Go Daddy Root Certificate Authority - G2, O="GoDaddy.com, Inc.", L=Scottsdale, S=Arizona, C=US
Common Name	Go Daddy Root Certificate Authority - G2
Alternative Names	Go Daddy Root Certificate Authority - G2
Issuer	Go Daddy Root Certificate Authority - G2
Effective Date	8/31/2009 8:00:00 PM
Expiration Date	12/31/2037 6:59:59 PM
Key	2048



Security Score



Critical

Issue

Mixed content (loads HTTP resources on HTTPS URL)

URLs: 2

Percentage: 22.22%

URLs that are loaded over a secure HTTPS connection, with some resources that are loaded over an unsecure HTTP connection (mixed content).

High

Issue

Loads page resources using protocol relative URIs

URLs: 9

Percentage: 100%

Loading a resource using protocol relative URIs allow it to be requested over HTTP and opens the door for Man-on-the-side attacks. If a resource is available over SSL, then always use the https:// URI.

Medium

Issue

Has JavaScript served via a CDN without subresource integrity

URLs: 1

Percentage: 11.11%

A CDN is in control of some or all of the JavaScript files on this URL, which means a third-party could make unwanted changes to the script. Using a specification called Subresource Integrity, a website can include JavaScript that will stop working if it has been modified.

Low

Issue

Leaks server information useful for compromising servers

URLs: 9

Percentage: 100%

Servers will commonly reveal what software is running on them, what versions of the software are on there and what frameworks are powering it. Reducing the amount of information you divulge is always a benefit.

Insight

Content-Security-Policy HTTP header is missing or invalid

URLs: 9

Percentage: 100%

A Content Security Policy is an effective measure to protect your site from XSS attacks. By whitelisting sources of approved content, you can prevent the browser from loading malicious assets.

Insight

Referrer-Policy HTTP header is missing

URLs: 9

Percentage: 100%

Referrer Policy is a new header that allows a site to control how much information the browser includes with navigations away from a document and should be set by all sites.

Insight

X-Frame-Options HTTP header is missing or invalid

URLs: 9

Percentage: 100%

X-Frame-Options tells the browser whether you want to allow your site to be framed or not. By preventing a browser from framing your site you can defend against attacks like clickjacking. Recommended value "x-frame-options: SAMEORIGIN".

Insight

Has external opener links vulnerable to tabnapping

URLs: 1

Percentage: 11.11%

Contains links to external URLs that use target='_blank' to open a new tab/window. The browser opens a new tab for the link, but also, for a very brief moment, allows the new tab to communicate with the original tab using a browser feature called the window.opener API. An attacker can place malicious code on the newly opened website, check the source of the click, and force the original tab to open a new URL.

No Issue

Internal HTTP URLs

Internal HTML URLs that are loaded over HTTP. If HTTP URLs successfully resolve then this either indicates that the site has not yet migrated to HTTPS, or that some HTTP URLs have been missed, which represents a security risk and may also negatively affect user experience, since most browsers show warnings on HTTP pages.

No Issue

HTTP URL contains a password input field

URLs that are using an unsecure HTTP protocol and contain a form that posts potentially sensitive password data.

No Issue

HTTPS URL contains a form posting to HTTP

HTTPS URLs that contain a form which posts to HTTP (protocol change).

No Issue

HTTPS URL links to an HTTP URL

HTTPS URLs that contain one or more outgoing internal links to URLs which are HTTP.

No Issue

Has style sheets served via a CDN without subresource integrity

A CDN is in control of some or all of the style sheets on this URL, which means a third-party could make unwanted changes to the script. Using a specification called Subresource Integrity, a website can include CSS that will stop working if it has been modified.

No Issue

Strict-Transport-Security HTTP (HSTS) header is missing

HTTP Strict Transport Security (HSTS) strengthens your implementation of TLS by getting the User Agent to enforce the use of HTTPS.

No Issue

X-Content-Type-Options HTTP header is missing

X-Content-Type-Options stops a browser from trying to MIME-sniff the content type and forces it to stick with the declared content-type. The only valid value for this header is "X-Content-Type-Options: nosniff".

No Issue X-XSS-Protection HTTP header is missing or invalid


X-XSS-Protection sets the configuration for the cross-site scripting filter built into most browsers. Recommended value "X-XSS-Protection: 1; mode=block".

Page Resources

All	CSS	JavaScript	Images
99	26	36	28

Page Resource URLs by Depth

This graph shows the distribution of each different URL status at each crawl depth of the website. The graph gives you an idea where most of your resources sit within the overall structure of the website.




Success 99	Not Found 0	Redirected 0	Disallowed 0	Timeout 0	Forbidden 0	Error 0
-------------------	--------------------	---------------------	---------------------	------------------	--------------------	----------------

Status	0	1	2
Success	0	91	8
Not Found	0	0	0
Redirect	0	0	0
Timeout	0	0	0
Error	0	0	0
Failed	0	0	0
Disallowed	0	0	0
Forbidden	0	0	0

Content Types


This graph splits out all the resources found into different content types, so you can see which ones are most prevalent.



Content Type	URLs
CSS	26
Font	9
Image	28
Javascript	36


HTTP Status Codes

The chart visualizes the status code distribution among all resource URLs. For optimum user experience, all resources would return a 200 (OK) status code.



Protocols Found

This chart shows you the relative split between different protocols used across the site for resource URLs (generally this will be HTTP/HTTPS).



Performance

URL Performance Scores

The performance scores for each URL audited, which is based on a weighted average of the individual metrics scores (Web Vitals).


33% Good

67% Needs Improvement

A sample of 10% of the internal HTML URLs were used to collect these Web Vitals metrics.

Largest Contentful Paint (LCP)

The time at which the largest image or text block becomes visible.




● Needs Improvement <= 2400ms

Status	URLs
Needs Improvement <= 2400ms	3

Cumulative Layout Shift (CLS)

A measurement of movement in visual elements as they are rendered.




● Good <= 0.1

Status	URLs
Good <= 0.1	3

Total Blocking Time (TBT)

The total time the page was blocked, preventing input responsiveness.




● Good <= 150ms

Status	URLs
Good <= 150ms	3

Time to Interactive (TTI)

The time it takes for the page to become fully interactive.




● Good <= 2468ms

● Needs Improvement <= 4500ms

Status	URLs
Good <= 2468ms	2
Needs Improvement <= 4500ms	1

Time to First Byte (TTFB)

The time it takes to receive data from the server.




● Needs Improvement <= 600 ● Poor > 600

Status	URLs
Needs Improvement <= 600	6
Poor > 600	3

First Contentful Paint (FCP)

The time at which the first text or image becomes visible.



● Needs Improvement <= 1600ms ● Poor > 1600ms

Status	URLs
Needs Improvement <= 1600ms	1
Poor > 1600ms	2

Performance Budget

The data below shows the number of URLs that passed/failed the maximum size budget for each type of page resource.



Type	Max Size	Passed	Failed
Document	30KB	9	0
Script	400KB	8	1
Style Sheet	70KB	0	9
Font	120KB	0	9
Image	1000KB	7	2
Media	2000KB	9	0
Other	1KB	9	0
Third Party	100KB	8	1
Total	1800KB	7	2



Performance Score

Critical 3 High 2 Medium 4 Low 2 No Issue 9

All Hints 11 Opportunities 8 Diagnostics 3

Critical

Diagnostic

Serve static assets with an efficient cache policy

URLs: 9

Percentage: 100%

URLs that contain page resources which do not specify a cache header. Fetching something over the network is both slow and expensive. Setting a cache header on your server response will tell the browser that it doesn't need to download assets again, which avoids unnecessary requests to the server. As such, HTTP caching can speed up your page load time on repeat visits.

Critical

Opportunity

Eliminate render blocking resources

URLs: 3

Percentage: 33.33%

URLs that contain JavaScript or CSS that block the initial render of the page. 'Render blocking resources' are JS or CSS files that are not critical for the first paint of your page, yet still need to be processed before this first render can occur. This means you are forcing the browser to spend extra time on network transmission, decompressing, parsing and compiling code that is not actually necessary for the initial render.

Critical

Diagnostic

Avoid enormous network payloads

URLs: 1

Percentage: 11.11%

URLs that have an extremely large page size (over 5Mb), which make them slow to download. A large page size translates into a large network payload when a browser requests the page. This takes the browser longer to download and process the page resources, and therefore longer to render the page.

High

Opportunity

Reduce server response times (TTFB)

URLs: 3

Percentage: 33.33%

URLs that had a Time-to-First-Byte (TTFB) greater than 600ms. TTFB is a measure of how long it takes to receive data from the server, and high TTFB is a cause of slow page load.

High

Opportunity

Efficiently encode images

URLs: 1

Percentage: 11.11%

URLs that contain images which are unoptimized. Image optimization is a valuable process because it allows you to serve images that are smaller in size (KiB) and therefore download faster, yet are not noticeably different to the user.

Medium

Opportunity

Add dimensions to images

URLs: 9

Percentage: 100%

URLs that contain images which do not have width and height size attributes. If you don't specify width and height on images, when loading the page, the browser does not know how much space to allocate for the images. This results in an image 'jump', as the layout shifts around the images.

Medium

Opportunity

Remove unused CSS

URLs: 9

Percentage: 100%

URLs that contain 'unused CSS', which is not actually used for rendering. If you have 'unused CSS', this means that the browser needs to download CSS that it is not even going to use, delaying rendering in the process.

Medium

Opportunity

Remove unused JavaScript

URLs: 9

Percentage: 100%

URLs that contain 'unused JavaScript', which is not actually used for rendering. If you have 'unused JavaScript', this means that the browser needs to download additional JavaScript that it is not even going to use, unnecessarily delaying rendering in the process.

Medium

Opportunity

Properly size images

URLs: 2

Percentage: 22.22%

URLs that contain images which are larger than the size they are rendered at. Serving images that are larger than the screen size available means that the browser needs to resize the images down to fit. From a user perspective, this means that they need to unnecessarily download useless data, which increases load time and is a waste of cellular data.

Low

Opportunity

Serve images in next gen formats

URLs: 9

Percentage: 100%

URLs that contain images which are in older formats (BMP, JPEG or PNG). Older image formats do not offer the level of compression or quality characteristics as their newer, 'next-gen', counterparts: JPEG 2000, JPEG XR and WebP. Using a next-gen image format allows you to further reduce image file sizes.

Low

Diagnostic

Avoid excessive DOM width

URLs: 3

Percentage: 33.33%

URLs for which the DOM has a parent node with more than the recommended 60 child nodes. While browsers can handle larger DOM trees, they are optimized for a maximum of 60 elements wide. A large DOM tree can harm network efficiency and load performance, runtime performance and memory performance.

No Issue

Defer offscreen images

URLs that contain images which are fully loaded by the browser even though they are not visible in the user's viewport. This means that the browser spends time during the initial render downloading images that are not necessary to download right away, which increases the Time to Interactive.

No Issue

Enable text compression

URLs that contain text-based resources that are not served with compression. Compression makes text-based resources like HTML, CSS and JavaScript smaller, which means they download more quickly.

No Issue **Minify CSS**

URLs that contain CSS files that are not minified or could be minified further. Minification works by analyzing and rewriting the text-based parts of a file to reduce its overall size, resulting in faster response times and lower bandwidth costs.

No Issue **Minify JavaScript**

URLs that contain JavaScript files that are not minified or could be minified further. Web servers and browsers can parse file content without comments and well-structured code, both of which create additional network traffic without providing any functional benefit.

No Issue **Ensure text remains visible during webfont load**

URLs that hide text content until the webfont loads, causing a flash of invisible text. This means it takes longer before the user is able to engage with the text content, and also causes the layout to change during rendering, which can be jarring for the user.

No Issue **Use HTTP/2 for all of its resources**

URLs that do not use HTTP/2 for all first-party page resources. HTTP/2 serves your page's resources faster and with less data moving over the wire.

No Issue **Avoid excessive DOM depth**

URLs for which the DOM has nodes exceeding the maximum recommended depth of 32. While browsers can handle larger DOM trees, they are optimized for a maximum of 32 elements deep. A large DOM tree can harm network efficiency and load performance, runtime performance and memory performance.

No Issue **Avoid excessive DOM size**

URLs that contain more than 1500 elements in the DOM. While browsers can handle larger DOM trees, they are optimized for a maximum of 1500 nodes in total. A large DOM tree can harm network efficiency and load performance, runtime performance and memory performance.

No Issue **Use video formats for animated content**

URLs that contain animated content in GIF format. GIFs are problematic for performance because of their typically huge file size. Even a small clip of a few seconds can easily blow up to several MB of data - which results in additional resource that browsers need to download.

Code Coverage

Site wide CSS Coverage

View the table below to see which CSS files are being loaded in across the whole site, and on how many URLs they are actually used for rendering.

URL	Content Coverage		Total URLs
	Unused	Wasted	
https://l37.eb8.myftpupload.com/wp-content/plugins/masterslider/public/assets/css/masterslider.main.css	77 KB	100.00%	9
https://l37.eb8.myftpupload.com/wp-content/plugins/tatsu/includes/icons/font_awesome/font-awesome.css	37 KB	100.00%	9
https://l37.eb8.myftpupload.com/wp-content/uploads/masterslider/custom.css	34 KB	100.00%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/css/vendor/flickity.css	10 KB	100.00%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/css/headers/multilevel-menu.css	9 KB	100.00%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/css/vendor/scrollbar.css	6 KB	100.00%	9
https://fonts.googleapis.com/css	6 KB	100.00%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/bb-press/bb-press.css	3 KB	100.00%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/fonts/hk-grotesk.css	2 KB	100.00%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/fonts/fonts.css	2 KB	100.00%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/css/headers/responsive-header.css	2 KB	100.00%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/style.css	462 B	100.00%	9
https://l37.eb8.myftpupload.com/wp-includes/css/classic-themes.min.css	217 B	100.00%	9
https://l37.eb8.myftpupload.com/wp-content/plugins/tatsu/includes/typehub/public/css/typehub-public.css	98 B	100.00%	9
https://l37.eb8.myftpupload.com/wp-includes/css/dist/block-library/style.min.css	92 KB	99.82%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/css/vendor/magnific-popup.css	7 KB	99.41%	9
https://l37.eb8.myftpupload.com/wp-content/plugins/be-gdpr/public/css/magnific-popup.css	7 KB	99.41%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/css/headers/top-header.css	17 KB	98.68%	9
https://l37.eb8.myftpupload.com/wp-content/plugins/tatsu/includes/icons/tatsu_icons/tatsu-icons.css	41 KB	98.18%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/fonts/icomoon/style.css	39 KB	97.59%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/css/layout.css	21 KB	97.56%	9
https://www.youtube.com/s/player/4eb6b35d/www-player.css	342 KB	95.17%	1
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/css/main.css	149 KB	90.86%	9
https://l37.eb8.myftpupload.com/wp-content/plugins/tatsu/public/css/tatsu.min.css	126 KB	83.94%	9
https://l37.eb8.myftpupload.com/wp-content/plugins/be-gdpr/public/css/be-gdpr-public.css	5 KB	60.17%	9
https://l37.eb8.myftpupload.com/wp-content/plugins/contact-form-7/includes/css/styles.css	1 KB	54.38%	9


Site wide JavaScript Coverage

View the table below to see which JavaScript files are being loaded in across the whole site, and on how many URLs they are actually used for rendering.

URL	Content Coverage		Total URLs
	Unused	Wasted	
https://l37.eb8.myftpupload.com/wp-content/plugins/contact-form-7/includes/swv/js/index.js	9 KB	92.02%	9
https://l37.eb8.myftpupload.com/wp-includes/js/jquery/ui/tabs.min.js	11 KB	90.47%	9
https://l37.eb8.myftpupload.com/wp-content/plugins/tatsu/public/js/vendor/begrid.min.js	5 KB	89.95%	8
https://www.youtube.com/s/player/4eb6b35d/fetch-polyfill.vflset/fetch-polyfill.js	8 KB	85.97%	1
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/js/vendor/perfect-scrollbar.jquery.js	19 KB	78.37%	9
https://l37.eb8.myftpupload.com/wp-content/plugins/be-gdpr/public/js/magnificpopup.min.js	15 KB	77.40%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/js/vendor/magnificpopup.js	16 KB	77.04%	8
https://l37.eb8.myftpupload.com/wp-content/plugins/tatsu/public/js/vendor/es6-promise.auto.min.js	4 KB	74.67%	9
https://www.youtube.com/s/player/4eb6b35d/www-widgetapi.vflset/www-widgetapi.js	118 KB	73.14%	1
https://l37.eb8.myftpupload.com/wp-content/plugins/contact-form-7/includes/js/index.js	9 KB	72.79%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/js/vendor/isotope.js	23 KB	68.05%	8
https://l37.eb8.myftpupload.com/wp-content/plugins/tatsu/public/js/vendor/tilt.min.js	4 KB	67.23%	8
https://l37.eb8.myftpupload.com/wp-content/plugins/tatsu/public/js/tatsu.min.js	19 KB	66.19%	9
https://l37.eb8.myftpupload.com/wp-content/plugins/tatsu/public/js/vendor/debouncedresize.min.js	236 B	65.74%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/js/script.js	67 KB	64.64%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/js/vendor/easing.js	3 KB	62.96%	8
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/js/vendor/hoverintent.js	4 KB	62.92%	8
https://l37.eb8.myftpupload.com/wp-includes/js/jquery/ui/accordion.min.js	5 KB	55.63%	9
https://l37.eb8.myftpupload.com/wp-includes/js/jquery/ui/core.min.js	11 KB	53.49%	9
https://www.youtube.com/s/player/4eb6b35d/www-embed-player.vflset/www-embed-player.js	156 KB	49.99%	1
https://l37.eb8.myftpupload.com/wp-content/plugins/tatsu/public/js/helpers.min.js	758 B	41.99%	9
https://l37.eb8.myftpupload.com/wp-includes/js/comment-reply.min.js	1 KB	41.56%	9
https://l37.eb8.myftpupload.com/wp-content/plugins/be-gdpr/public/js/be-gdpr-public.js	2 KB	39.52%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/js/vendor/modernizr.js	6 KB	36.77%	9
https://l37.eb8.myftpupload.com/wp-content/plugins/tatsu/includes/typehub/public/js/webfont.min.js	4 KB	36.02%	9
https://l37.eb8.myftpupload.com/wp-content/themes/oshin/js/vendor/superfish.js	2 KB	33.69%	8
https://l37.eb8.myftpupload.com/wp-includes/js/jquery/jquery-migrate.min.js	3 KB	31.90%	9
https://l37.eb8.myftpupload.com/wp-includes/js/jquery/jquery.min.js	28 KB	31.45%	9

https://137.eb8.myftpupload.com/wp-content/themes/oshin/js/vendor/imagesloaded.js	2 KB	27.09%	4
https://137.eb8.myftpupload.com/wp-content/plugins/tatsu/public/js/vendor/anime.min.js	5 KB	23.82%	7
https://www.youtube.com/iframe_api	111 B	10.61%	1
https://137.eb8.myftpupload.com/wp-includes/js/wp-emoji-release.min.js	2 KB	8.54%	8
https://137.eb8.myftpupload.com/wp-content/themes/oshin/js/vendor/transparentheader.js	151 B	4.29%	8
https://137.eb8.myftpupload.com/wp-content/themes/oshin/js/vendor/fitvids.js	0 B	0.00%	8
https://137.eb8.myftpupload.com/wp-content/plugins/tatsu/public/js/vendor/asyncloader.min.js	0 B	0.00%	9

Accessibility



Critical Issue **Elements must only use allowed ARIA attributes**

URLs: 9 Percentage: 100%

Not all ARIA role-attribute combinations are valid. This Rule checks that each role is supplied with allowed attributes.

No Issue **<audio> elements must have a captions <track>**

The <track> element must be present for each HTML5 <audio> element, with <kind="captions"> set as a property. Captions are text—synchronized with the audio file—of the dialog, narration, and any important auditory information, for the benefit of deaf users.

No Issue **<video> elements must have a <track> for captions**

An HTML5 <video> element must include a <track> element with <kind="captions"> set as a property. The captions should convey all meaningful auditory information in the video including dialogue, musical cues, sound effects, and other relevant information for deaf users.

No Issue **Active <area> elements must have alternate text**

An image map is a single image with many clickable areas. Like all images, an image map must have alternate text for *each* of the different clickable areas, as well as for the larger image itself, since screen readers have no way of translating graphics into text.

No Issue **All non-empty <td> elements in tables larger than 3 by 3 must have an associated table header**

Data table markup can be tedious and confusing. Tables must be marked up done semantically and with the correct header structure. Screen readers have features to ease table navigation, but tables must be marked up accurately for these features to work correctly.

No Issue **ARIA attributes must conform to valid names**

ARIA attributes starting with <aria-> must have valid names. Referring to a misspelled attribute or to one that does not exist will result in an invalid attribute and thus failure of this rule.

No Issue **ARIA attributes must conform to valid values**

ARIA attributes starting with <aria-> must contain valid values. These values must be spelled correctly and correspond to values that make sense for a particular attribute in order to perform the intended accessibility function.

No Issue **ARIA roles used must conform to valid values**

Values assigned to ARIA role values must be valid. Role values must be spelled correctly, correspond to existing ARIA <role> values, and must not be abstract roles to correctly expose the purpose of the element.

No Issue **aria-hidden="true" must not be present on the document <body>**

Document content is not accessible to assistive technology if <body aria-hidden="true">.

No Issue **Buttons must have discernible text**

Buttons must have discernible text that clearly describes the destination, purpose, function, or action for screen reader users.

The <input-button-name> rule separates functionality from the <button-name> rule to ensure that input buttons have discernible text; advise relevant to input button names was incorrect for button elements.

No Issue **Certain ARIA roles must be contained by particular parent elements**

Certain ARIA roles must be contained by particular parent <role>s in order to perform the intended accessibility functions.

No Issue **Certain ARIA roles must contain particular children**

Some ARIA parent <role> values applied to elements must contain specific child elements and <role> values to perform intended accessibility function.

No Issue **Form <input> elements must have labels**

Each form element must have a programmatically associated label element.

No Issue **Frames must be tested with axe-core**

Frames must be tested with axe-core.

No Issue **IDs used in ARIA and labels must be unique**

The value assigned to an <id> attribute used in ARIA or in form labels must be unique to prevent the second instance from being overlooked by assistive technology. Put another way; ID values used in ARIA and in labels may not be used more than once in the same document to differentiate each element from another.

No Issue **Image buttons must have alternate text**

Ensures <input type="image"> elements have alternate text.

No Issue **Images must have alternate text**

All images must have alternate text to convey their purpose and meaning to screen reader users.

No Issue **Input buttons must have discernible text**

Ensures input buttons have discernible text.

The <input-button-name> rule separates functionality from the <button-name> rule to ensure that input buttons have discernible text; advise relevant to input button names was incorrect for button elements.

No Issue Required ARIA attributes must be provided

ARIA widget roles must have appropriate attributes describing the state or properties of the widget.

No Issue Scope attribute should be used correctly on tables

The <scope> attribute must be used correctly on tables in accordance with either HTML4 or HTML5 specifications to enable efficient table navigation for screen reader users.

No Issue select element must have an accessible name

Each select element must have a programmatically associated label element.

No Issue Timed refresh must not exist

The document must not use <meta http-equiv="refresh"> because it can prevent control over when the refresh occurs for users with disabilities.

No Issue Zooming and scaling must not be disabled

The document must not use the <user-scalable="no"> parameter in the <meta name="viewport"> element because it disables text scaling and zooming which is essential to users with low vision.

No Issue <blink> elements are deprecated and must not be used

This rule requires that no <blink> elements are present. Flashing text can be difficult to read and blinking objects can be difficult to activate. The associated automated check finds the presence of all <blink> elements so that they can be removed.

No Issue <dl> elements must only directly contain properly-ordered <dt> and <dd> groups, <script>, or <template> elements

Definition lists (<dl>) must contain only properly-ordered <dt> and <dd> groups, <div>, <script>, or <template> elements.

No Issue <dt> and <dd> elements must be contained by a <dl>

Definition list items (<dt> and/or <dd>) must be wrapped in parent <dl> elements to be valid. This enables screen reader users to understand the proper hierarchy of information in the list.

No Issue <html> element must have a lang attribute

The HTML document element must contain a valid <lang> attribute or must correspond to a valid <lang> code for multilingual screen reader users who may prefer a language other than the default.

No Issue <html> element must have a valid value for the lang attribute

The HTML document must contain a valid <lang> attribute or must correspond to a valid <lang> code for multilingual screen reader users who may prefer a language other than the default.

No Issue elements must be contained in a or

All list items () must be contained within or parent elements.

No Issue **<marquee> elements are deprecated and must not be used**

<marquee> elements must not be present because they are deprecated, increase difficulty for users with limited dexterity, and are distracting for users with cognitive or attention deficits.

No Issue **<object> elements must have alternate text**

All embedded objects must have text alternatives to be read out to screen reader users.

No Issue ** and must only directly contain , <script> or <template> elements**

Lists must be marked up correctly, meaning they must not contain **content** elements other than elements.

No Issue **accesskey attribute value must be unique**

All <accesskey> attribute values in a document must be unique. Put another way, <accesskey>s must not be repeated to prevent unexpected effects for keyboard users.

No Issue **All <th> elements and elements with role="columnheader" or role="rowheader" must have data cells they describe**

Data table markup can be tedious and confusing. Markup tables semantically and with the correct header structure. Screen readers have features to ease table navigation, but tables must be marked up accurately for these features to work correctly.

No Issue **All cells in a <table> element that use the headers attribute must only refer to other cells of that same <table>**

Data table markup can be tedious and confusing. Markup tables semantically and with the correct header structure. Screen readers have features to ease table navigation, but tables must be marked up accurately for these features to work correctly.

No Issue **All text elements must have sufficient contrast between text in the foreground and background colors behind it in accordance with WCAG 2 AAA contrast ratio thresholds.**

All text elements must have sufficient contrast between text in the foreground and background colors behind it in accordance with WCAG 2 AAA contrast ratio thresholds.

No Issue **ARIA button, link, and menuitem must have an accessible name**

ARIA command elements must have discernible text that clearly describes the destination, purpose, function, or action for screen reader users.

No Issue **ARIA dialog and alertdialog must have an accessible name**

Aria dialog elements must have discernible text that clearly describes the destination, purpose, function, or action for screen reader users.

No Issue **ARIA input fields must have an accessible name**

Ensures every ARIA input field has an accessible name.

No Issue ARIA meter must have an accessible name

Aria meter elements must have discernible text that clearly describes the destination, purpose, function, or action for screen reader users.

No Issue ARIA progressbar must have an accessible name

Aria progressbar elements must have discernible text that clearly describes the destination, purpose, function, or action for screen reader users.

No Issue ARIA toggle fields have an accessible name

Ensures every ARIA toggle field has an accessible name.

No Issue ARIA tooltip must have an accessible name

Aria tooltip elements must have discernible text that clearly describes the destination, purpose, function, or action for screen reader users.

No Issue ARIA treeitem must have an accessible name

Aria treeitem elements must have discernible text that clearly describes the destination, purpose, function, or action for screen reader users.

No Issue aria-hidden elements do not contain focusable elements

This rule checks <aria-hidden> elements do not contain focusable elements.

No Issue Autocomplete attribute must be used correctly

The purpose for each common input field that collects an individual's personal data is programmatically defined based on the list of 53 Input Purposes for User Interface Components. The autocomplete attribute values must be valid and correctly applied for screen readers to function correctly.

No Issue Bold, italic text and font-size are not used to style <p> elements as a heading

Styled <p> elements must not be used to represent headings because the structure of the document cannot otherwise be determined by screen reader users.

No Issue CSS Media queries are not used to lock display orientation

The screen orientation (e.g. portrait or landscape) of mobile applications should not be locked in one mode. Users should be able to change the orientation of their device between portrait and landscape with the page adjusting accordingly in order to remain understandable. Also, when opening a page, it should display in the user's current orientation.

No Issue Data or header cells should not be used to give caption to a data table

Data table markup can be tedious and confusing. Screen readers have some features to ease table navigation, but tables must be marked up accurately for these features to work correctly. Some tables use cells with a <colspan> element to visually indicate a caption, instead of using an actual caption element.

No Issue Documents must contain a title element to aid in navigation

The HTML document must have a <title> element to provide users with an overview of its content, and when present, it must not be empty.

No Issue Elements containing role="img" have an alternative text

Ensures elements marked <role="img"> elements have alternate text.

No Issue Elements should not have tabindex greater than zero

A <tabindex> attribute must never have a value greater than 0 to prevent an unexpected tab order that can give the appearance of skipping some elements entirely.

No Issue Ensures <frame> and <iframe> elements with focusable content do not have tabindex=-1

<frame> and <iframe> elements with focusable content must not have <tabindex="-1">.

No Issue Ensures role="text" is used on elements with no focusable descendants

Elements with <role="text"> must not have focusable descendants.

No Issue Form <input> elements should have a visible label

Form <input> elements may be given a title using the <title> or <aria-describedby> attributes (but not both). These attributes are used to provide additional information such as a hint.

No Issue Frames must have a unique title attribute

All <frame> or <iframe> elements in the document must have a unique title to describe their contents to screen reader users.

No Issue Frames must have title attribute

All <frame> or <iframe> elements in the document must have a title that is not empty to describe their contents to screen reader users.

No Issue ID attribute value must be unique

The value assigned to active ID attributes on focusable elements must be unique to prevent the second instance from being overlooked by assistive technology. Put another way, active ID attributes may not be used more than once on focusable elements in the same document; focusable active elements require unique IDs for assistive technology to distinguish one element from another.

No Issue Inline text spacing must be adjustable with custom stylesheets

Ensure that text spacing set through style attributes can be adjusted with custom stylesheets.

No Issue Label and name from content mismatch

Interactive elements labeled through their content must have their visible label as part of their accessible name

No Issue lang attribute must have a valid value

The language specified in the HTML document must be one of the valid languages to ensure text is pronounced correctly for screen reader users.

No Issue Links must be distinguished from surrounding text in a way that does not rely on color

Ensures users who cannot distinguish between colors can tell when text is a link by verifying the link has either a distinct style that does not rely on color or has a contrast difference of greater than 3:1 (which alerts you that manual testing is required).

No Issue Links must have discernible text

Link text and alternate text for images, when used as links, must be discernible by a screen reader, must not have a duplicate label, and must be focusable.

No Issue Nested interactive controls are not announced by screen readers

Nested interactive controls are not announced by screen readers

No Issue Page must have means to bypass repeated blocks

Each page must have a <main> landmark to provide a mechanism to bypass repeated blocks of content or interface elements (like header and navigation) and quickly arrive at the main content.

No Issue SVG images and graphics require accessible text

Ensures SVG elements with an , <graphics-document> or <graphics-symbol> role have an accessible text alternative.

No Issue Text elements must have sufficient color contrast against the background

All text elements must have sufficient contrast between text in the foreground and background colors behind it in accordance with WCAG 2 AA contrast ratio thresholds.

No Issue Use aria-roledescription on elements with a semantic role

Ensures that the <aria-roledescription> attribute is only used on elements with an implicit or explicit <role> values.

No Issue <html> elements with lang and xml:lang must have the same base language

The HTML document must contain a valid <lang> attribute or must correspond to a valid <lang> code for multilingual screen reader users who may prefer a language other than the default. The <xml:lang> attribute value, if included on the <html> element, must duplicate the value of the <lang> exactly.

No Issue All page content must be contained by landmarks

It is best practice to contain all content excepting skip links, within distinct regions such as the header, nav, main, and footer.

No Issue **Audio must have controls that provide users with the ability to stop automatically played audio after three seconds**

Ensures <video> or <audio> elements do not autoplay audio for more than three seconds without a control mechanism to stop or mute the audio.

No Issue **Banner landmark must not be contained in another landmark**

Banner landmark must not be contained in another landmark.

No Issue **Complementary landmarks and/or asides are top level**

Ensures the complementary landmark or aside is at top level

No Issue **Contentinfo landmark must not be contained in another landmark**

Contentinfo landmark must be at top level.

No Issue **Ensure that scrollable region has keyboard access**

Elements that have scrollable content should be accessible by keyboard

No Issue **Ensures the document has at most one main landmark**

It is a best practice to ensure that there is only one main landmark to navigate to the primary content of the page and that if the page contains <iframe> elements, each should either contain no landmarks, or just a single landmark.

No Issue **Form fields do not have duplicate labels**

Ensures form field does not have multiple labels.

No Issue **Heading levels should only increase by one**

Headings must be in a valid logical order, meaning <h1> through <h6> element tags must appear in a sequentially-descending order.

No Issue **Landmarks must have a unique role or role/label/title (i.e. accessible name) combination**

Landmarks must have a unique role or role/label/title (i.e. accessible name) combination.

No Issue **Main landmark must not be contained in another landmark**

It is a best practice to ensure the main landmark is not contained within another landmark. All content should be contained within distinct regions such as the header (<role="banner">), content (<role="main">), and footer (<role="contentinfo">).

No Issue **Page must contain a level-one heading**

Ensures that the page, or at least one of its frames, contains an <h1> element that appears before the start of the main content to allow screen reader users to use keyboard shortcuts to navigate the heading structure instead of wasting time listening to more of the web page to understand its structure.

No Issue Page must have one main landmark

It is a best practice to ensure that there is only one main landmark to navigate to the primary content of the page and that if the page contains <iframe> elements, each should either contain no landmarks, or just a single landmark.

No Issue Page must not have more than one banner landmark

Ensures the page has at most one banner landmark.

No Issue Page must not have more than one contentinfo landmark

Ensures the page has at most one <contentinfo> landmark.

No Issue The skip-link target should exist and be focusable

The page must have a link at the top before the navigation that allows users to skip lengthy navigation and proceed to a page's main content to save time.

No Issue ARIA role must be appropriate for the element

Values assigned to WAI-ARIA role attributes must be valid. This means values must be spelled correctly, correspond to existing ARIA <role> values, and **must not be abstract roles in order to correctly expose the purpose of the element.**

No Issue Elements in the focus order need a role appropriate for interactive content

User input elements must have appropriate roles, whether native HTML or a custom widget, to convey to screen reader users their meaning when landed on and given focus. If a custom widget, appropriate ARIA <role> values must be used instead of abstract roles to correctly expose the purpose of the element.

No Issue Elements whose role is none or presentation must not conflict with other roles

Ensures elements which are marked to be removed from the accessibility tree are in fact removed.

No Issue Ensure that links with the same accessible name serve a similar purpose

Ensure that links with the same accessible name serve a similar purpose.

No Issue Ensures table headers have discernible text

Table header elements should have visible text. Ensure that the table header can be used by screen reader users. If the element is not a header, marking it up with a 'td' is more appropriate.

No Issue Headings must not be empty

When at least one heading element (marked by <h1> through <h6>) is present, it is a best practice to ensure it contains content.

No Issue Hidden content on the page cannot be analyzed

Informs users about hidden content that cannot be analyzed for accessibility violations.

No Issue ID attribute values must be unique

The value assigned to an ID attribute must be unique to prevent the second instance from being overlooked by assistive technology. Put another way; ID attributes may not be used more than once in the same document to differentiate each element from another.

No Issue Server-side image maps must not be used

The document contains an image map that is server-side instead of client-side.

No Issue Text of buttons and links should not be repeated in the image alternative

When button and link text repeats in a <alt> attribute value, screen reader users hear the same information twice, which renders the alt text meaningless and confusing.

No Issue The <caption> element should not contain the same text as the summary attribute

Data table markup can be tedious and confusing. Make sure the caption and summary table attributes are not identical. Screen readers have some features to manage table navigation, but tables must be marked up accurately for these features to work correctly.

No Issue Timed refresh must not exist (No Exception)

The document must not use <meta http-equiv="refresh"> because it can prevent control over when the refresh occurs for users with disabilities.

No Issue Users should be able to zoom and scale the text up to 500%


The document must not use the <user-scalable="no"> parameter in the <meta name="viewport"> element because it disables text scaling and zooming which is essential to users with low vision.

External URLs

All	Subdomains	HTML	Downloads	Broken
2	0	2	0	0

External URLs by Depth

This graph shows the distribution of each different URL status at each crawl depth of the website.




Success 2	Not Found 0	Redirected 0	Timeout 0	Forbidden 0	Error 0
------------------	--------------------	---------------------	------------------	--------------------	----------------

Status	0	1	2
Success	0	0	2
Not Found	0	0	0
Redirect	0	0	0
Timeout	0	0	0
Error	0	0	0
Failed	0	0	0
Disallowed	0	0	0
Forbidden	0	0	0


External Content Types

This chart shows the breakdown of content types, for all external URLs that are linked to by an internal anchor.




Content Type	URLs
HTML	2


Structured Data




Status	URLs
With Search Features	9
Without Search Features	0



Status	URLs
With Schema	9
Without Schema	0




Status	URLs
Passed	8
Failed	1



Status	URLs
Passed	9
Failed	0


Search Feature Validation ?



● Passed ● Failed

Status	Total
Passed	17
Failed	1

Schema Entity Validation ?



● Passed ● Failed

Status	Total
Passed	93
Failed	0

Google Search Features

Type	Format	Entities	Instances	URLs	URLs without	Errors	Warnings
Breadcrumb	JSON-LD	9	9	9	0	1	0
Type	Name					URLs	Total
Error	Missing required property					1	1
	Property						Total
	ListItem item - Must be a type of Thing .						1
Logo	JSON-LD	1	9	9	0	0	0

Schema Entities

Type	Format	Entities	Instances	URLs	URLs without	Errors
Thing	JSON-LD	16	45	9	0	0
ListItem	JSON-LD	1	17	9	0	0
ImageObject	JSON-LD	5	13	9	0	0
WebSite	JSON-LD	1	9	9	0	0
WebPage	JSON-LD	9	9	9	0	0
SearchAction	JSON-LD	1	9	9	0	0
ReadAction	JSON-LD	1	9	9	0	0
Organization	JSON-LD	1	9	9	0	0
EntryPoint	JSON-LD	1	9	9	0	0
BreadcrumbList	JSON-LD	9	9	9	0	0